



REVISED

June 2007

U.S. Army Medical Materiel Agency

The information contained in this manual was prepared
by the U.S. Army Medical Materiel Agency,
Materiel Acquisition Directorate,
Acute Care Division,
Fort Detrick, MD

This manual is still in draft form and may contain inaccuracies. To report inaccuracies or additions, please contact 301-619-4301/4316, DSN 343-4301/4316, or at USAMMACRM@amedd.army.mil Responses may also be mailed to:

**Commander
U.S. Army Medical Materiel Agency
MCMR-MM0-AC
1423 Sultan Drive, Suite 100
Fort Detrick, MD 21702-5001**

TABLE OF CONTENTS

NOTE: CLICK ON TITLE
FOR DIRECT LINK

<u>SECTION NO.</u>	<u>DEVICE</u>	<u>NSN</u>	<u>PAGE NO.</u>
1	<u>Anesthesia Machine With Case</u>	(J) 6515-01-457-1840	1
2	<u>Anesthesia Monitor</u>	(J) 6515-01-502-2117	7
3	<u>Anesthesia Vaporizer Sevoflurane</u>	(L) 6515-01-469-6996	11
4	<u>Anesthesia Vaporizer Isoflurane</u>	(L) 6515-01-468-4922	13
5	<u>Cleaner Vacuum Electric</u>	(J) 7910-01-327-0757	15
6	<u>Compressor - Dehydrator</u>	(J) 6520-01-398-4613	19
7	<u>Defibrillator, Monitor Recorder</u>	(J) 6515-01-515-4197	21
8	<u>Electrosurgical Apparatus Mobile</u>	(J) 6515-01-532-3321	29
9	<u>Endoscopic Instrument Fiber Optic</u>	(J) 6515-01-504-1096	39
10	<u>Fluid Warming System</u>	(J) 6515-01-465-2059	41
11	<u>Genitourinary Cystoscopy</u>	(J) 6545-01-497-6841	47
12	<u>Laryngoscope Set Fiber Optic</u>	(L) 6515-01-526-4240	59
13	<u>Light Source Endoscopy</u>	(L) 6515-01-417-7875	63
14	<u>Monitor Vital Signs SPO²-CO²</u>	(J) 6515-01-432-2711	65
15	<u>Nerve Stimulator, Peripheral</u>	(J) 6515-01-397-5212	77
16	<u>Operating Table Transport Plate System</u>	(L) 6530-01-463-3009	79
17	<u>Otoscope & Ophthalmoscope Set</u>	(L) 6515-01-333-3165	87
18	<u>Pulse Oximeter</u>	(L) 6515-01-466-0971	91
19	<u>Pump Infusion Alaris</u>	(J) 6515-01-486-4310	93
20	<u>Pump Infusion Auto Syringe</u>	(L) 6515-01-496-4213	97
21	<u>Refrigerator Mechanical Blood Bank</u>	(J) 4110-01-249-4476	99
22	<u>Respirometer Corrosion Resisting Metal Alloy w/Case</u>	(L) 6515-01-509-3535	103
23	<u>Shelter Tactical Expandable Two Sided</u>	(A) 5411-01-136-9838	105
24	<u>Sink Unit Surgical Scrub</u>	(J) 6530-01-429-6715	107
25	<u>Suction Apparatus Surgical</u>	(J) 6515-01-435-0050	109
26	<u>Surgical Headlight</u>	(L) 6230-01-520-3474	113
27	<u>Surgical Light, Ceiling</u>	(J) 6530-01-244-0708	117
28	<u>Table, Mobile Surgical W/Provisioning</u>	(J) 6530-01-533-4863	119
29	<u>Table, Operating</u>	(J) 6530-01-353-9883	133
30	<u>Tourniquet System Pneumatic Auto W/Case</u>	(L) 6515-01-287-0607	147
31	<u>Ultrasonic Unit Blood Flow Detection</u>	(J) 6515-01-293-5578	151
32	<u>Warming Unit, Bair Hugger</u>	(L) 6530-01-463-6823	157

ANESTHESIA MACHINE WITH CASE TOC

DRAEGER MEDICAL INC

MODEL #: 4114179 NARKOMED M

Manufacturer's PHONE: (215) 721-5400 FAX (215) 721-5784

Website: <http://www.draegermedical.com>

AAC "W" ITEM NSN 6515-01-435-4305

AAC "J" ITEM NSN 6515-01-457-1840

UA's: N301


**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$39,767.15**

System Description: The Narkomed M is a full-featured state-of-the-art anesthesia machine that can be deployed in its transit containers virtually anywhere in the world by means of trucks, aircraft and ships. The system design minimizes the number of required components thereby minimizing assembly/disassembly time and reducing loss of components. The Narkomed M's modular architecture is extremely robust and flexible enough for use in a wide variety of military, mobile and space limited applications. Once assembled the Narkomed M provides the clinician with an anesthesia system that incorporates the same high standards found in anesthesia systems within conventional operating rooms.

Special Features: A portable field anesthesia machine permitting use of closed (low flow), semi-closed and opened anesthesia techniques, 110/220 VAC, 50/60 HZ, with battery back-up to fully power all operations for a minimum of one hour, the unit C/O: a carbon dioxide absorber, oxygen absorber, ventilator, and vaporizer has nitrous oxide capability and has an operational range of 40-61 PSI, accepts an oxygen concentrator (when available), air compressor, oxygen cylinder, pipeline oxygen, nitrous oxygen, nitrous oxide and other air sources, unit is adaptable to use in both active and passive gas scavenging systems and is supplied with gas pressure gauges, break-resistant flow meters, and an oxygen flush valve, monitoring capabilities: Re and exhaled volume, the vaporizer has a min. cap. of 100 ML and the ventilator has a flow rate of 0-5-LPM, the unit is sterilizable IAW with DEPMEDS procedures.

**REUSABLE ADULT/PEDIATRIC/INFANT MASK 1 EACH; REUSABLE
ADULT/PEDIATRIC BREATHING CIRCUIT 1 EACH; USER MANUAL 2 EACH;
MAINTENANCE MANUAL 2 EACH; REUSABLE CONTAINER 1 EACH**


ADVANTAGES



- 1) Deployable in 2 transit cases.
- 2) Minimal number of components minimizing assembly/disassembly time.
- 3) Small footprint (2.5 sq. ft).
- 4) Integrated ventilator.
- 5) 90 minute battery backup in event of power failure.
- 6) Vaporizer Tipp able and spill proof.

CHARACTERISTICS

Dimensions	Height.	50"
	Width.	21"
	Depth	16"
Weight	250 lbs	
Container 1	102 lbs	
Container 2	105 lbs	
Cubic Feet	20	
Operating Temperature	10 to 35 C	
Operating Humidity	30 to 70 % RH	
Storage Temperature	-20 to 60 C	
Storage Humidity	10 to 90 % RH	
Power Requirements	100/240V AC, 50/60 Hz, 2.5 Amps, 300 Watts	
Battery Backup	Voltage 90 minutes	



NARKOMED M START-UP PACKAGE (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6640 014684702	Included W/ NSN	Support Frame (WELD)	4114061	1	EA	\$2,044.80	\$2,044.80	DRAEGER	N/A	N	3
6515 014684922	Included W/ NSN	Vaporizor Isoflurane	4114279	1	EA	\$3,648.83	\$3,648.83	DRAEGER	N/A	N	3
4720 014684909	Included W/ NSN	Pipeline Hose N2O	4113712-010	1	EA	\$205.00	\$205.00	DRAEGER	N/A	N	3
4720 014684910	Included W/ NSN	Pipeline Hose Air	4113713-010	1	EA	\$205.00	\$205.00	DRAEGER	N/A	N	3
4720 014684908	Included W/ NSN	Pipeline Hose O2	4113714-010	1	EA	\$205.00	\$205.00	DRAEGER	N/A	N	3
6545 015090389	Included W/ NSN	Lubrication Kit for Spiromed Sensor	2218180	1	EA	\$60.00	\$60.00	DRAEGER	N/A	N	3
4730 014684906	Included W/ NSN	Test Terminal Adapter	4104389	1	EA	\$15.00	\$15.00	DRAEGER	N/A	N	3
4730 014684431	Included W/ NSN	O2 Sensor Housing Assembly	4106363	1	EA	\$268.00	\$268.00	DRAEGER	N/A	N	3
6145 014685060	Included W/ NSN	Power Cord	4110334	1	EA	\$27.00	\$27.00	DRAEGER	N/A	N	3
6515 015079075	Included W/ NSN	Breathing Bag Connector	4114312	1	EA	\$34.00	\$34.00	DBA MCCORMICKS	N/A	N	3
6515 015079074	Included W/ NSN	Corrugated Hose 22 MM Ends X 22 in. Long	9995123	2	EA	\$70.00	\$140.00	DBA MCCORMICKS	N/A	N	3
6515 015079078	Included W/ NSN	Corrugated Hose, 22 mm End X 32 in. Long	9995132	2	EA	\$70.00	\$140.00	DBA MCCORMICKS	N/A	N	3
6515 015079076	Included W/ NSN	Y-piece (black) Adult	M25650	1	EA	\$70.00	\$70.00	DBA MCCORMICKS	N/A	N	3
6515 014684463	Included W/ NSN	Scavenger with Mounting Bracket	4114255	1	EA	\$613.35	\$613.35	DRAEGER	N/A	N	3
7610 014684911	Included W/ NSN	Operator's Instruction and Setup Manual	4114107	2	EA	\$100.00	\$100.00	DRAEGER	N/A	N	3
7610 014684913	Included W/ NSN	Technical Service Manual	4114108	2	EA	\$100.00	\$100.00	DRAEGER	N/A	N	3
NOT REQUIRED	Included W/ NSN	Display and Monitor Support Assembly	4114117	1	EA						
NOT REQUIRED	Included W/ NSN	Expiratory Valve	4114164	1	EA						
NOT REQUIRED	Included W/ NSN	PEEP Valve	4106362	1	EA						
NOT REQUIRED	Included W/ NSN	Facemask, Newborn	9995001	1	EA						
NOT REQUIRED	Included W/ NSN	Facemask, Child	9995002	1	EA						
NOT REQUIRED	Included W/ NSN	Facemask, Medium Adult	9995005	2	EA						
NOT REQUIRED	Included W/ NSN	Corrugated Hose 19 mm Ends X 13 in. Long	9995213	2	EA						
NOT REQUIRED	Included W/ NSN	Corrugated Hose 19 mm Ends X 30 in. Long	9995230	1	EA						
NOT REQUIRED	Included W/ NSN	Breathing Bag, 3.0 Liter, 19 mm	9995430	1	EA						
NOT REQUIRED	Included W/ NSN	Adult Breathing Bag, 2.0-liter, 22 mm	9945320	1	EA						
NOT REQUIRED	Included W/ NSN	Pediatric Breathing Bag 0.5 Liter, 22 mm	9995305	1	EA						
NOT REQUIRED	Included W/ NSN	Mask Elbow (black) Adult	4107319	1	EA						
NOT REQUIRED	Included W/ NSN	Corrugated Hose, 22 mm X 15 mm X 30 in. long Pediatric	9995130	1	EA						
NOT REQUIRED	Included W/ NSN	Mask Elbow (chrome) Child	4114358	1	EA						
NOT REQUIRED	Included W/ NSN	Y-piece (chrome) Child	4114357	1	EA						
NOT REQUIRED	Included W/ NSN	O2 Regulator	411705-001	1	EA						
NOT REQUIRED	Included W/ NSN	N2O Regulator	4113705-002	1	EA						

NARKOMED M CONSUMABLES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6505013628311	SODA LIME CARTRIDGE	Soda Sorb Pre Pak	1	12 PG	\$59.12	\$59.12	Grace W R & Co.		N	
6515002998297	MASK ORONASAL LARGE ADULT	309-0388-800	2	EA	\$27.95	\$55.88	Sims Portex		N	
6515003021500	TUBE INHALER 32 " LG	211-9004-800	2	EA	\$57.95	\$115.90	Sims Portex		N	
6515003869708	HARNESS HEAD	216-1676-700	2	EA	\$57.24	\$114.48	Datex-Ohmeda		N	
6515008801832	ADAPTER RIGHT ANGLE ELBOW TRACHEAL	00-452	1	EA	\$12.91	\$12.91	Anesthesia Associates		N	
6515008801833	ADAPTER Y-PC TRACH	00-451	1	EA	\$34.93	\$34.93	Anesthesia Associates		N	
6515010308636	REBREATHING BAG GAS	211-2801-800	2	EA	\$25.35	\$50.70	Sims Portex		N	
6515010369070	MASK ORONASAL ADULT SIZE 5	16-20-15	2	EA	\$25.25	\$50.50	North Health Care		N	
6515010369071	MASK ORONASAL CHILD SIZE 2	16000	2	EA	\$33.65	\$67.30	Ambu		N	
6515011535920	ADAPTER RIGHT ANGLE ELBOW TRACHEAL	00-452P	2	EA	\$23.06	\$46.12	Anesthesia Associates		N	
6515013281901	TUBE ASSEMBLY	5021JX1M	3	20 PG	\$147.27	\$2,650.86	Vital Signs		N	
6515013935083	CONNECTOR TRACHEAL TUBE Y-PIECE CONN	19-004386	4	EA	\$36.15	\$144.60	Mercury Enterprises		N	
6515013968089	BREATHING CIRCUIT ANESTHESIA	370924	2	15 PG	\$114.30	\$1,143.00	Sims Portex		N	
6515014917901	SENSOR OXYGEN MONITORING PLASTIC POLYMER	6850645	2	EA	\$176.00	\$176.00	Draeger Medical		N	
6515014779007	HUMIDIFIER HYGROSCOPIC HUMID-VENT 2 ports (20s)	13312	2	20/PG	\$101.70	\$203.40	HUDSON OXYGEN			

ANESTHESIA MONITOR TOC

DRAEGER MEDICAL INC

MODEL # VAMOS

Manufacturer's PHONE: (215) 721-5400 FAX (215) 721-5784

Website: <http://www.draegermedical.com>

AAC "W" ITEM NSN 6515-01-498-3153


AAC "J" ITEM NSN 6515-01-502-2117

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$39,767.15

System Description: Compact monitor using optical technology for the measurement of all anesthetic gases along with nitrous oxide and carbon dioxide. A small pump utilizes a constant suction flow of 150 mL/min for the sample gas.



Tests performed:

- 1) Five volatile anesthetic gases
- 2) Nitrous oxide
- 3) Carbon dioxide



Advantages

- 1) Compact, lightweight.
- 2) Sensor contains no moving parts.
- 3) Interfaces with Draeger Narkomed M anesthesia apparatus
- 4) Easy user interface.
- 5) Optional rechargeable battery backup.

VAMOS PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	16.6 cm
	Width	24 cm
	Depth	16.5 cm
Cubic Ft		3.8
Weight	Analyzer	3 kg
Operating Temperature		10° to 40° C (50° to 104° F)
Humidity		5% to 90%
Power Requirements		100 – 240 V, 50/60 Hz (25W during warm-up) (15W in operation)

VAMOS CONSUMABLES (START-UP) & (RESUPPLY)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CON US Ship Time, weeks
6515015280246	Included w/ NSN	WaterLock Water Trap (12 pack)	6870567	1	EA	\$140.00	\$140.00	Draeger		N	1
6515015280241	Included w/ NSN	Sample Line	8290286	1	PG	\$25.00	\$25.00	Draeger		N	1
6515015279990	Included w/ NSN	Sample Gas Scavenging Hose	1190520	1	EA	\$7.00	\$7.00	Draeger		N	1
6515015279983	Included w/ NSN	T-piece	8600224	1	EA	\$9.00	\$9.00	Draeger		N	1
6515015279971	Included w/ NSN	Sample Line Filter	4111751	1	EA	\$9.00	\$9.00	Draeger		N	1
6515015120306	Included w/ NSN	Scavenger Adapter	4108114	1	EA	\$27.00	\$27.00	Draeger		N	1

ANESTHESIA VAPORIZER SEVOFLURANE TOC

DRAEGER MEDICAL INC

MODEL #: VAPOR 2000

PART # 4116181-011

Manufacturer's PHONE: (215) 721-5400 FAX (215) 721-5784

Website: <http://www.draegermedical.com>

AAC "L" ITEM NSN 6515-01-469-6996

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$ 4,667.83

System Description: Draeger's new Vapor 2000 incorporates many new features to make life easier for the user. For example, the anesthetic agent tank has an increased capacity of 300ml to accommodate an entire bottle of anesthetic agent. This feature prevents waste and thereby reduces cost. The most practical advantage of the newly designed Vapor 2000 is that no emptying is required before transportation. The benefits are obvious: no troublesome disposal of half-empty agent bottles with the added risk of mix-ups or breakages. The Vapor 2000's unique transport design prevents anesthetic agent from entering the vaporizer chamber when the control dial is set to the "T" (Transport) position. While in the "T" setting, the Vapor 2000 may be transported in any position or angle. Filling the Vapor 2000 is a quick and easy job with no residual liquid left in the bottle. Locking and unlocking are also simple, one-handed operations with no complicated screws or valve



CHARACTERISTICS

Dimensions	Height	10"
	Width	6"
	Depth	6"
Weight	12lbs	
Cubic Feet	1.2	
Operating Temperature	10-40° C	
Storage Temperature	-20-70°C	

ANESTHESIA VAPORIZER CONSUMABLES

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6505014979961	Included with NSN	SEVOFLURANE 250 ML BOTTLE	NDC00074-4456-04	One case of 6 BTs	BT	\$319.05	\$319.05	Abbot Labs	24 months	N	2

ANESTHESIA VAPORIZER ISOFLURANE TOC

DRAEGER MEDICAL INC

MODEL #: VAPOR 2000

PART # 4114279

Manufacturer's PHONE: (215) 721-5400 FAX (215) 721-5784

Website: <http://www.draegermedical.com>

ACC "L" ITEM NSN 6515-01-468-4922

UA N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$3,648.83

System Description: Draeger's new Vapor 2000 incorporates many new features to make life easier for the user. For example, the anesthetic agent tank has an increased capacity of 300ml to accommodate an entire bottle of anesthetic agent. This feature prevents waste and thereby reduces cost. The most practical advantage of the newly designed Vapor 2000 is that no emptying is required before transportation. The benefits are obvious: no troublesome disposal of half-empty agent bottles with the added risk of mix-ups or breakages. The Vapor 2000's unique transport design prevents anesthetic agent from entering the vaporizer chamber when the control dial is set to the "T" (Transport) position. While in the "T" setting, the Vapor 2000 may be transported in any position or angle. Filling the Vapor 2000 is a quick and easy job with no residual liquid left in the bottle. Locking and unlocking are also simple, one-handed operations with no complicated screws or valve



ANESTHESIA VAPORIZER ISOFLURANE CONSUMABLES, START-UP & RESUPPLY

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refri g Y/N	CONU S Ship Time, weeks
6505014437083	Order Prior to Deployment	ISOFLURANE USP 100ML BOTTLE 6 BOTTLES PER PACKAGE	NDC00074- 3292-01	1	6PG	\$121.00	\$121.00	ABBOTT LABS	24 MONT HS		2

CLEANER VACUUM ELECTRIC VERTICAL TANK TOC

MINUTEMAN INTERNATIONAL INC.

MODEL # L0-065

Manufacturer's PHONE (630) 627-6900 Fax (630) 627-1130

Website: <http://www.minutemanintl.com>

AAC "W" ITEM NSN 7910-01-177-0622

AAC "J" ITEM NSN 7910-01-327-0757

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403


UNIT PRICE: \$ 1,640.47

Features: For use in the Operating Room; portable; infectious waste; lightweight with all the necessary components. Storage and Transit Conditions range in temperature from -80 degrees F to 155 degrees F. and air pressure up to 2.47 PSI; electric comp treatment for fungus resistance; for use in removing water or fluid material from floors; will also pick up small solids or mud; brand specific end item.



CHARACTERISTICS

Dimensions	Height	38"
	Width	24"
	Length	26"
Weight		86 lbs
Cubic Ft		13.72
Operating Temperature		-80 deg F to 155F
Operating Humidity		2.47 psi
Storage Temperature		-80 deg F to 155F
Storage Humidity		2.47 psi
Power Requirements		120/130V 50 HZ 900W AC



CLEANER VACUUM ELECTRIC TANK ACCESSORIES AND CONSUMABLES

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
4470014961503	Included with NSN	Filter, Hepa Hygenic	110010	1	EA	\$435.24	\$435.24	MINUTEMAN INTL INC	N	N	2
7910015280008	Included with NSN	Adapter, Vacuum	750081-1	1	EA	\$62.87	\$62.87	MINUTEMAN INTL INC	N	N	2
7910015280264	Included with NSN	Brush, (Bare Floor Tool)	800603	1	EA	\$29.62	\$29.62	MINUTEMAN INTL INC	N	N	2
7910015280253	Included with NSN	Handle, Floor (Wand Assembly)	290000	1	EA	\$24.78	\$24.78	MINUTEMAN INTL INC	N	N	2
7910015280256	Included with NSN	Hose, Vacuum Cleaner (1 1/2" X 10')	800317	1	EA	\$47.15	\$47.15	MINUTEMAN INTL INC	N	N	2
7920015310978	Included with NSN	Squeegee (14")	800605	1	EA	\$25.99	\$25.99	MINUTEMAN INTL INC	N	N	2
7910015280260	Included with NSN	TOOL, CARPET & RUG 16 INCH	807237	1	EA	\$18.74	\$18.74	MINUTEMAN INTL INC	N	N	2

COMPRESSOR - DEHYDRATOR TOC

DEFIANCE ELECTRONICS INCORPORATED

PAC 6.7

Manufacturer's PHONE (865) 408-0100 Fax (865) 408-0960

AAC "W" ITEM NSN 6520-01-242-2375

AAC "J" ITEM NSN 6520-01-398-4613

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$ 4,229.02

System Description: Model PAC 6.7 Compressor-Dehydrator.

The oil-less piston air compressor (PAC 6.7) is a completely portable unit with an integral drying section which automatically regenerates the drying agent, with 98% dry air put out, no matter the humidity level. The unit supplies compressed air, free of oil, moisture, and particulate matter greater than 5 microns, to operate a Dental Operating and Treatment Unit. A transit case is an integral part of the compressor, the cover of which is designed to serve as a sound suppressor and protective device during normal operation. The compressor can be rapidly placed into operation and is easily maintained. These compressors are included as part of the Operating Room assemblage to provide compressed air to run mechanical ventilators.

Figure 1. Compressor-Dehydrator



Defiance Electronics PAC 6.7 Characteristics

Dimensions	Length	31.5"
	Width	26.5"
	Height	11.75"
Power Requirements	Voltage	115-230 VAC (rewiring required)
	Frequency	50/60 Hz
	Current	14 Amps at 115 VAC 7 Amps at 230 VAC
Ambient Temperature	98% Dry Air put out, no matter the humidity level	40°F to 120°F
Normal Load		6.0 scfm at 60 psi
Capacity		6.0 scfm at 60 psi
Site requirements		20 ft. from point of use
Weight		158 lbs

Defiance Electronics PAC 6.7 Accessories and Consumables

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
4820014419240	Included with NSN	Pressure Relief/Drain Valve	PAC6.7-001	1	EA	\$38.75	\$38.75	Defiance Electronics	Indef	N	2
6685014419747	Included with NSN	Pressure Gauge	PAC6.7-002	1	EA	\$46.75	\$46.75	Defiance Electronics	Indef	N	2
6520015296628	Included with NSN	Case	PAC6.7-005	1	EA	\$576.00	\$576.00	Defiance Electronics	Indef	N	2
6520014298595	Included with NSN	Dryness Indicator	PAC6.7-020	1	EA	\$61.75	\$61.75	Defiance Electronics	Indef	N	2
6530011399371	Included with NSN	Service Cord Set	PAC6.7-032	1	EA	\$37.25	\$37.25	Defiance Electronics	Indef	N	2
6520015296643	Included with NSN	Air Hose, 10' w/fittings	PAC6.7-035	1	EA	\$74.50	\$74.50	Defiance Electronics	Indef	N	2
6520015296644	Included with NSN	Filter	PAC6.7-036	1	EA	\$66.75	\$66.75	Defiance Electronics	Indef	N	2

DEFIBRILLATOR, MONITOR RECORDER TOC

ZOLL MEDICAL CORPORATION

MODEL M SERIES CCT

Manufacturer's PHONE: (978) 421 9460, FAX (978) 421-0010

Website: <http://www.zoll.com>

AAC "W" ITEM NSN 6515-01-389-6740

AAC "J" ITEM NSN 6515-01-515-4197

UA's: 2261, 2267, 2257, 3257, 3267, 5257, 5267, 9300, 9304, 9301, 9302, 9303, N301, 9306, N313, N513, N713, N308, N309, F301, F308, F309, F383

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$18,940.00**

Operator Familiarization: CD-ROM is available.

System Description: The M Series CCT features a three-channel display for ECG and up to two invasive pressures with ranges covering arterial, pulmonary arterial, central venous or intracranial pressure as well as two temperature channels. Of course, it also provides you all the non-invasive parameter options of the M Series including SpO₂, EtCO₂, NIBP, and fully interpretive 12-lead ECG.

- ZOLL XL Battery for longer transport times
- Transport-ready design
- Easy-to-read display
- M Series technology and simplicity
- Full range of parameters for a full range of patients
- Flexible color display
- Quick, easy connections
- Ready to gather and share critical data



**DEFIBRILLATOR, MONITOR RECORDER
MODEL M SERIES CCT**

CHARACTERISTICS

Dimensions	Height	6.8"
	Width	10.3"
	Depth	8.2"
Weight.		13.5 lbs
Storage Temperature		-4° to 140° F, -20° to 60° C
Operating Temperature		32° to 122°F ,0° to 50° C
Humidity (no condensing)		5-95%
Power Requirements		110/220 VAC 50/60 HZ, 220/240 50 HZ,220 VA Sealed lead acid battery pack; 5 cells 2V/CELL, (WIRED IN SERIES), DC INPUT 10-29 V. 130 W

M-SERIES/CCT DEFIBRILLATOR ACCESSORIES & CONSUMABLES (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
See Resupply	Included W/NSN	XL Smart Ready Lead Acid Batteries	3	EA	8000-0686	\$180.00	\$540.00	Zoll	indef	N	2
6515015185958	Included W/NSN	Xtreme Pak II Carry Case	1	EA	8000-0501-01	\$595	\$595.00	ZOLL	indef	N	2
6515015185984	Included W/NSN	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185960	Included W/NSN	Military AC power cord w/ Ferrite	1	EA	8000-0304	\$35.00	\$35.00	Zoll	indef	N	2
6515015185967	Included W/NSN	Military EtCO ₂ cable with mainstream capnostat sensor	1	EA	8000-0410	\$1950.00	\$1950.00	Zoll	indef	N	2
6515015185970	Included W/NSN	NIBP adult cuff and hose	1	EA	8000-1654	\$29.00	\$29.00	Zoll	indef	N	2
6515015185972	Included W/NSN	Military SpO ₂ cable	1	EA	8000-0246-30	\$162.00	\$162.00	Zoll	indef	N	2
6515015185973	Included W/NSN	Military SpO ₂ adult sensor	1	EA	8000-0245	\$270.00	\$270.00	Zoll	indef	N	2
6515015185980	Included W/NSN	Military Temperature Cable and Probe	1	EA	8000-0409	\$450.00	\$450.00	Zoll	indef	N	2
6515015185982	Included W/NSN	Military universal cable	1	EA	8000-0308-30	\$135.00	\$135.00	Zoll	indef	N	2
6515015185962	Included W/NSN	Military 1 Step 12 – Lead ECG Cable	1	EA	8000-0527-30	\$319.00	\$319.00	Zoll	indef	N	2
6515015046492	Included W/NSN	M Series external paddle assembly	1	EA	8000-1010-01	\$396.00	\$396.00	Zoll	indef	N	2
6515015185995	Included W/NSN	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186027	Included W/NSN	Dep Pak – Single Patient 4 YEAR SHELF LIFE	1	EA	8000-4018-30	\$80.00	\$80.00	ZOLL	48	N	2
6515015186011	Included W/NSN	Hardigg Case w/ label	1	EA	8000-0850-30	\$980.00	\$980.00	Zoll	indef	N	2
6515015186016	Included W/NSN	1X1 Battery Charger	1	EA	8050-0022-30	\$506.00	\$506.00	Zoll	inde	N	2
6515015186021	Included W/NSN	Single Patient Use Airway Adapters (10)	1	(10s) EA	8000-0260-01	\$65.00	\$65.00	ZOLL	indef	N	2
6515015186030	Included W/NSN	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$396.00	\$396.00	Zoll	inde	N	2
6515015185988	Included W/NSN	Operator's Manual	1	EA	9650-0200-01	\$20.00	\$20.00	Zoll	inde	N	2
6515015186025	Included W/NSN	Service Manual	1	EA	9650-0450-30			Zoll	inde	N	2
6515015186012	Included W/NSN	In-Service Video	1	EA	9650-0073	\$20.00	\$20.00	Zoll	inde	N	2

M-SERIES/CCT DEFIBRILLATOR CONSUMABLES (RESUPPLY)

NSN	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refri g Y/N	CONUS Ship Time, weeks
6515015092908	Dep Pak – FOUR Patient 4 YEAR SHELF LIFE	1	EA	8000-4017-30	\$280.00	\$280.00	ZOLL	48	N	2
6515015186021	Single Patient Use Airway Adapters (10)	1	(10s) EA	8000-0260-01	\$65.00	\$65.00	ZOLL	indef	N	2
6515015185955	XL Smart Ready Lead Acid Battery	1	EA	8000-0686	\$180.00	\$180.00	ZOLL	48	N	2
6515015185984	Recorder paper, 1 roll	1	EA	8000-0300	\$3.00	\$3.00	ZOLL	indef	N	2
6515015185995	Environmental protective covers	1	EA	8000-0400	\$100.00	\$100.00	ZOLL	indef	N	2
6515015186030	PCMCIA Data Card, 16 MEG (2 per pack)	1	EA	8000-0167	\$396.00	\$396.00	Zoll	inde	N	2




**DEP PAK FOUR, PATIENT
8000-4017-30**



**1X1 BATTERY CHARGER
8050-0022-30**



**XL SMART READY LEAD ACID
BATTERIES,**



MILITARY UNIVERSAL CABLE,




**5 LEAD ECG CABLE
8000-0527-30**




**M SERIES EXTERNAL PADDLE
ASSEMBLY,
8000-1010-01**




CUFF NIBP ADULT AND HOSE
8000-0654




**ETCO2 CABLE WITH MAINSTREAM
CAPNOSTAT SENSOR 8000-0410**



MILITARY SpO2 ADULT SENSOR
8000-0245





MILITARY SpO2 CABLE
8000-0246-30



TEMPERATURE CABLE & PROBE
8000-0409



Hardigg Case w/label 8000-0850-30 CASE ONLY
ITEMS SHOWN IN THIS CASE INCLUDES THE STARTUP KIT



**Military 1 Step 12-Lead ECG Cable
8000-0527-30**

ELECTROSURGICAL APPARATUS MOBILE [TOC](#)

Distributed By: ALLIANCE JOINT VENTURE

Manufactured By: CONMED

MODEL # 888033227

Distributor's Phone: (305) 364-0888 FAX: (305) 364-0877

Manufacturer's Phone: (800) 765-8375 EXT 4447 FAX: (410) 374-2144

Distributor's Website: <http://www.american-depot.com/>

Manufacturer's Website: <http://www.conmed.com/Product.php>

AAC "J" ITEM NSN 6515-01-532-3321

UA's: 3267, 4905, 5267, N301, F301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$9,394.37

System Description: The Excalibur Plus PC[®] is the most powerful Isolated ESU on the market with 10,000V PTP in Spray COAG. It is the only ESU that allows the surgeon to adjust power settings from the surgical field with a standard ES pencil. Excalibur Plus PC Patented Controlled Output Voltage[™] in CUT maintains minimum necessary voltage for smooth cutting through various impedance tissues with minimal thermal damage.

Features: The Excalibur Plus PC[®] offers a scalpel like cut and three blend modes

- Pure Cut Maximum Peak to Peak Voltage is 2000 Volts.
- Blend 1 - Maximum Peak to Peak Voltage is 2000 Volts.
- Blend 2 - Peak voltage of 2200.
- Blend 3 - The Excalibur Plus PC[®] comes equipped with the maximum Peak to Peak Voltage of 2400. Safety: The Aspen Return Monitor (ARM[™]) is the most sensitive pad monitoring system available. It combines automatic feedback circuitry and visual displays to provide the most sensitive contact quality monitoring system available today. ARM[™] This function continuously monitors the safety of the Monitoring patient to ground System pad interface with a dual foil ground pad. Disarms the ESU and alerts the staff if a pad fault condition occurs. ARM Operates in a preset Safety range of 10-150 Ohms. Once the Pad is placed and the resistance is measured this measurement is set. If the patient's impedance level should either increase by 20% or fall out of the preset safety range, ARM[™] will alarm and disarm the ESU. The Assist Bar Graph provides a visual Alarm Set Point and eliminates the possibility of pad site burns attributable to machine error.
- Standard Coagulation: Provides "Pin Point" coagulation with minimal arcing and deep thermal necrosis
- Spray Coagulation: Wide pattern fulguration with maximum arcing and shallow thermal necrosis.

10000 Volts Peak to Peak in Spray Coag: The Highest voltage offered in an isolated ESU that delivers unmatched Spray Coagulation performance. A proprietary feature of Excalibur Plus PC.



**ELECTROSURGICAL APPARATUS
EXCALIBUR PLUS PC NSN 6515-01-532-3321**



**ELECTROSURGICAL APPARATUS
CART PART # 999121185**

ELECTROSURGICAL APPARATUS EXCALIBUR PLUS PC CHARACTERISTICS

Dimensions Excalibur Plus PC	Height, in.	6.25		
	Width, in.	15.9		
	Depth, in.	22.75		
Dimensions Electrosurgical Cart	Height, in.	34		
	Width, in.	22		
	Depth, in.	25		
Electrosurg Weight, lbs		40lbs 12 oz		
Cart Weight, lbs		56 lbs		
Operating Temperature		50° F to 86° F		
Storage Temperature		40° F to 158° F when sealed in bag		
Relative Humidity Operating		0 to 95% noncondensing		
Relative Humidity in Storage		0 to 95% noncondensing		
Voltage	115/230 VAC 60Hz			
Fuse	8 Amp max			
Watts	960 Watts			
Output Power Monopolar	MAX POWER (WATTS)	MAX VOLTAGE (VOLTS)	PP CREST FACTOR	LOAD Ohms
- Pure Cut	300 Watts	2,000	1.8	300
- Blend 1	180 Watts	2,000	2.4	300
- Blend 2	120 Watts	2,200	3.1	300
- Blend 3	80 Watts	2,400	3.8	300
- Coag Standard	120 Watts	6,500	6.4	300
- Coag Spray	80 Watts	10,000	8.5	500
- Bipolar				
- Cut	50 Watts	400	1.7	50
- Coag	50 Watts	400	1.5 -12.0	50



**Rocker Switch, UltraClean Blade Electrode, 10' (3.05m) Cable, Holster
PART # 999010787**



**Surefit Grounding Pad(for patients > 4.4lbs), without cable, Single use,
PART # 999121138 (use reusable cable PART # 999121545) 5/package**

Today's sophisticated electronics and a polymer gel technology allows us to make a smaller pad. With the same pad used on patients from 4.4 lbs (2.2 kg), the SureFit™ dispersive electrode presents the possibility to replace the traditional infant, pediatric, and adult dispersive electrode with one configuration. The SureFit™ Dispersive Electrode from CONMED provides unique features including a tab designed to help the nurse gently remove the pad from the patient. The pliable backing and polymer hydrogel conform to body contours; while the adhesive borders helps prevent fluid from penetrating the borders of the SureFit dispersive electrode.



**6" UltraClean® Blade; Single-Use; Sterile
PART # 999120860**




**1" UltraClean® Needle; Single-Use; Sterile
PART # 999120857**



**Footswitch (full size), Monopolar, Splashproof, with
10' (3.05m) cable. For use with Excalibur
PART # 999121176**



**Footswitch, Bipolar, Splashproof, Omni directional.
For use with System 5000™, Excalibur series with 10'
(3.05m) pre-attached cable. PART # 999121175**



**1" UltraClean® Blade with Extended
Insulation;
Single use; Sterile . . . PART # . . . 999120858**



**Universal Active Adapter for foot-activated monopolar
accessories; fits Bovie #12 type output sockets
PART # 999120946**



**7-3/4" (19.685cm) Scoville-Greenwood Bayonet (Insulated), 1.5mm Tip .
PART # . . . 999121164**



**Reusable Bipolar Cable; for use with Wolf
Kleppinger forceps; twin banana plug machine
connectors; 10 long
Part # 999121052**



**All ARM equipped, and Valleylab - All REM equipped; enables pad-to-patient contact quality monitoring
PART # 999121545**



**ASPENGEL Conductive Gel, Nonstaining, 8.45
fluid oz.**

Optional Item PART # 999121151

**EXCALIBUR PLUS PC
ACCESSORIES CONSUMABLES (START-UP)**

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015347437	Included W/ NSN	Universal Cart	999121185	1	EA	\$351.75	\$351.75	Alliance Joint Venture	N/A	N	3
6515015347442	Included W/ NSN	Monopolar Footswitch	999121176	1	EA	\$241.20	\$241.20	Alliance Joint Venture	N/A	N	3
6515015347475	Included W/ NSN	Bipolar Footswitch	999121175	1	EA	\$20.35	\$20.35	Alliance Joint Venture	N/A	N	3
6515015347815	Included W/ NSN	Surefit Grounding pad without cord	999121138	1	100/CS	\$150.00	\$150.00	Alliance Joint Venture	N/A	N	3
6515015347490	Included W/ NSN	Clamp/cord assembly	999121545	1	EA	\$32.00	\$32.00	Alliance Joint Venture	N/A	N	3
6515015347516	Included W/ NSN	Forcep insulated 7.75" bayonet	999121164	1	EA	\$152.00	\$152.00	Alliance Joint Venture	N/A	N	3
6515015347670	Included W/ NSN	Bipolar forceps cord	999121052	1	EA	\$140.00	\$140.00	Alliance Joint Venture	N/A	N	3
6515013541012	Included W/ NSN	Disposable hand switch pencil w/holster	999010787	1	40/CS	\$106.52	\$106.52	Alliance Joint Venture	N/A	N	3
6515015347821	Included W/ NSN	Extended coated blade	999120860	1	50/PG	\$215.00	\$215.00	Alliance Joint Venture	N/A	N	3
6515015347830	Included W/ NSN	Coated needle electrode	999120857	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347836	Included W/ NSN	Edge insulated coated blade	999120858	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347844	Included W/ NSN	Active Adapter	999120946	1	EA	\$49.50	\$49.50	Alliance Joint Venture	N/A	N	3
6515015403422	Included W/ NSN	Service Manual	60-6280-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3
6515015403420	Included W/ NSN	Operator Manual	60-6270-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3

EXCALIBUR PLUS PC ACCESSORIES CONSUMABLES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015347815	Surefit Grounding pad without cord	999121138	1	100/CS	\$150.00	\$150.00	Alliance Joint Venture	N/A	N	3
6515015347490	Clamp/cord assembly	999121545	1	EA	\$32.00	\$32.00	Alliance Joint Venture	N/A	N	3
6515015347516	Forcep insulated 7.75" bayonet	999121164	1	EA	\$152.00	\$152.00	Alliance Joint Venture	N/A	N	3
6515015347670	Bipolar forceps cord	999121052	1	EA	\$140.00	\$140.00	Alliance Joint Venture	N/A	N	3
6515013541012	Disposable handswitch pencil w/holster	999010787	1	40/CS	\$106.52	\$106.52	Alliance Joint Venture	N/A	N	3
6515015347821	Extended coated blade	999120860	1	50/PG	\$215.00	\$215.00	Alliance Joint Venture	N/A	N	3
6515015347830	Coated needle electrode	999120857	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347836	Edge insulated coated blade	999120858	1	50/PG	\$200.00	\$200.00	Alliance Joint Venture	N/A	N	3
6515015347844	Active Adapter	999120946	1	EA	\$49.50	\$49.50	Alliance Joint Venture	N/A	N	3
6515015424886 Optional Item	ASPENGEL Conductive Gel, Nonstaining, 8.45 fluid oz.	999121151	1	CS/12	\$77.14	\$77.14	Alliance Joint Venture	N/A	N	3
6515015403422	Service Manual	60-6280-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3
6515015403420	Operator Manual	60-6270-001	1	EA	\$65.00	\$65.00	Conmed	N/A	N	3

ENDOSCOPIC INSTRUMENT FIBER OPTIC TOC

OLYMPUS MEDICAL COMPANY

MODEL # OSF-3

Manufacturer's PHONE: (631) 844-5000 FAX (972) 401-0509

Website: <http://www.olympusamerica.com>

AAC "W" ITEM NSN 6515-01-204-5392

AAC "J" ITEM NSN 6515-01-504-1096

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$5,276.00

Special Features:

1. 700 mm working length facilitates complete insertion.
2. Generous 3.2 mm instrument channel accommodates a wide variety of accessories.
3. Increased resolution delivers clear images.
4. Complete immersion allows for complete cleaning and disinfection.
5. Optional adapter can provide CO² compatibility.



CHARACTERISTICS

Dimensions	Insertion tube diameter	12.2mm
	Total Length	104.0 cm
	Working Length	70.0 cm
Weight.	4 lb	
Cube Ft	.2 cu ft	
Operating Temperature	50 - 104°F	
Operating Humidity	30 – 85%	
Air pressure	700 to 1060 h PA (0.7 to 1.1 kgf/cm 2) (0.2 to15.4 psia)	

ENDOSCOPY CONSUMABLES/ACCESSORY START-UP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515-01-528-4185	Included W\NSN	All ch Irrigator with 30cc syringe(MB-253) for OES, EVS,V10& EVIS 100, 130 scopes	CW-3	1	EA	\$104.00	\$104.00	Olympus	N/A	N	2
6515-01-479-1048	Included W\NSN	ETO (Venting cap)for OES fiberscopes	Mb-156	1	EA	\$74.29	\$74.29	Olympus	N/A	N	2
6515-01-528-4084	Included W\NSN	Air/Water ch cleaning adapter for OES/EVIS 100/130 Enoscopes	MB-107	1	EA	\$73.39	\$73.39	Olympus	N/A	N	2
6515-01-528-4105	Included W\NSN	Cleaning Brush for OES/EVIS/scopesGIF,JF,CF,OSF-2/3	BW-20T	1	EA	\$32.72	\$32.72	Olympus	N/A	N	2
6515-01-528-4104	Included W\NSN	Channel Cleaning Adapter for OSF-3	MB-019	1	EA	\$25.96	\$25.96	Olympus	N/A	N	2
6515-01-528-4098	Included W\NSN	Semi-disposable forceps valve #13(10) pcs	MB-358	1	EA	\$25.06	\$25.06	Olympus	N/A	N	2
6515-01-528-6158	Included W\NSN	Ch opening brush for scopes	MH-507	1	EA	\$9.02	\$9.02	Olympus	N/A	N	2
6515-01-528-6157	Included W\NSN	Lubricant (silicone oil)	MB-106	1	EA	\$7.16	\$7.16	Olympus	N/A	N	2

FLUID WARMING SYSTEM TOC

BELMONT INSTRUMENT CORP

MODEL # FMS2000

PART #:903-00001B

Manufacturer's PHONE: (978) 663-0212 FAX (978) 663-0214

Website: <http://www.belmontinstrument.com>

AAC "W" ITEM NSN 6515-01-370-5019

AAC "J" ITEM NSN 6515-01-465-2059

UA's: 3267, 9300, 9304, 9303, 267B, F301, F308, F309, N301, N308, N308

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$18,700.00

System Description: The unit delivers blood or replacement fluid at high infusion rate for use in trauma and high blood loss surgery. The system combines a high speed fluid pump, a compact blood and fluid warmer, air detection and removal, and pressure monitoring in a 26 pound package, which mounts to an IV pole. The system is easy to use, quick to set up with nearly instantaneous infusion, and fluid heating. The line pressure control turns off pump, and alerts the Operator if the fluid line is obstructed. A single pass through the induction heater brings fluid to normothermia in seconds. The Operator controlled fluid delivery rates of 1- 750 ml per minute at physiological temperatures.





FLUID WARMING SYSTEM

PART # 903-00001B

NSN 6515-01-465-2059

SIDE VIEW





3-BAG SPIKE DISPOSABLE SET
PART # 903-00006
NOT INCLUDED W/NSN

Portability:	Quick-on IV Pole Mount or Handle at top of unit.
Power:	115 volt, 15A AC, or 220-240 Volt, 7.5A AC input
Battery:	Internal, rechargeable for transport. Operates all functions without heating.
Fluid Pump:	Roller type peristaltic pump.
Heater:	Maximum applied power, 1500 watts.
Sensors:	2 Air bubble sensors, pressure transducer (fluid). 2 temperature probes (infrared sensing), pump flow rate sensor.
Control Computer:	Built-in, controls all functions, with redundant hardwired overrides in case of computer failure.
Display:	5 in. x 2.5 in. Electroluminescent type, with waterproof touch pad.

FLUID WARMING SYSTEM PHYSICAL AND ENVIRONMENTAL SPECIFICATION

Dimensions	Height	13.5 inches
	Width	7.5 inches
	Depth	12 inches
Cube		0.703 cubic feet
Weight		26 lbs
Operating Temperature Range		50° F to 89.6° F
Storage Temperature Range		5° F to 104° F
Relative Humidity (in use)		10% to 90 % non-condensing
Relative Humidity (storage)		10 % to 90 % non-condensing
Power Requirements		115 VAC 60 Hz Internal rechargeable battery (will not power heat function).
Amps		15 amps
Watts		1500 watts

FLUID WARMING SYSTEM (START-UP)

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014652059		Fluid Warming System	903-00001B	1	EA	\$18,700.00	\$18,700.00	BELLMONT INST.CORP.	N/A	N	3
		Carrying Case	603-00039	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		IV pole portable telescopic, Assembly	403-00284	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		Reservoir Support Assembly	403-00247	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, Portable Telescopic IV Pole	403-00285	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, knob	403-00259	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
		Power Cord, 120V	118-0096	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
	CD ROM	Operator Manual	702-00040	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
	Hard copy	Operator Manual	702-00001	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3
	Physically big	Service Manual	702-00046	1	EA	Included w/ 2059 NSN	Included w/ 2059 NSN	BELLMONT INST.CORP.	N/A	N	3

ITEMS FOUND IN THE UNIT ASSEMBLAGE SUPPORTING THE FLUID WARMING SYSTEM

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015178115	IN THE UA	3 Bag Spike Disposable Set Model 2516	903-00006	4	12\ PG	\$1500.00	\$1500.00	BELLMONT INST.CORP.	24	N	3

FLUID WARMING SYSTEM (RESUPPLY)

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	DIST/MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
		Carrying Case	603-00039	1	EA	\$600.00	\$600.00	BELLMONT INST.CORP.	N/A	N	3
		IV pole portable telescopic, Assembly	403-00284	1	EA	\$270.00	\$270.00	BELLMONT INST.CORP.	N/A	N	3
		Reservoir Support Assembly	403-00247	1	EA	\$31.90	\$31.90	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, Portable T4telescopic IV Pole	403-00285	1	EA	\$86.25	\$86.25	BELLMONT INST.CORP.	N/A	N	3
		2-Hook Assembly, knob	403-00259	1	EA	\$45.36	\$45.36	BELLMONT INST.CORP.	N/A	N	3
		Power Cord, 120V	118-0096	1	EA	\$52.00	\$52.00	BELLMONT INST.CORP.	N/A	N	3
	CD ROM	Operator Manual	702-00040	1	EA	\$5.00	\$5.00	BELLMONT INST.CORP.	N/A	N	3
	Hard copy	Operator Manual	702-00001	1	EA	\$39.60	\$39.60	BELLMONT INST.CORP.	N/A	N	3
	Physically big	Service Manual	702-00046	1	EA	\$45.89	\$49.89	BELLMONT INST.CORP.	N/A	N	3
6515015178115	Require item but not incl w/NSN	3 Bag Spike Disposable Set Model 2516	903-00006	1	12\ PG	\$1500.00	\$1500.00	BELLMONT INST.CORP.	24	N	3

GENITOURINARY CYSTOSCOPY TOC

ACMI CORP.

MODEL # ALU-2B

Manufacturer's PHONE: (203) 328-8693, FAX: (203) 328-8717

Website: <http://www.acmicorp.com>

AAC "W" ITEM NSN 6545-01-485-0531

AAC "J" ITEM NSN 6545-01-497-6841

UA's: N301, N342, N542, N742

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$24,086.00

System Description: The ALU-2B Halogen Light Source is similar to the ALU-1B system, with the addition of dual lamps and a graphical intensity display. This light source is ideal for all endoscopic procedures and has a backup, preinstalled 150W halogen lamp for zero down time performance.

Special Features:

1. Light guide turret: Accepts most popular light guides without need for adapters
2. Dual lamps: Provides zero downtime:
3. Graphical intensity display: Provides visual lamp intensity adjustment



ALU-2B LIGHT SOURCE 150 Watt, 115/220V 50/60 Hz



75U STOPCOCOK



E117 USA ELITE SHEATH WITH OBTURATOR, 17 FR.




E121 USA ELITE SHEATH WITH OBTURATOR, 21FR.



E123 USA ELITE SHEATH WITH OBTURATOR 23FR.



E125 USA ELITE SHEATH WITH OBTURATOR 25 FR.



E151 USA ELITE ALBARRAN CATHETER DFLG. BRIDGE



E152 USA ALBARRAN CATHETER DFLG. BRIDGE



E153 USA ELITE SHORT BRIDGE DOUBLE HORN



E154 USA ELITE SHORT BRIDGE, EXAMINING



E155 USA ELITE ALBARRAN DFLG. BRIDGE, SINGLE HORN




E159 USA ELITE SHORT BRIDGE, DOUBLE HORN



E164 USA ELITE STATIONARY DEFLECTOR FOR E 153



E8215 USA ELITE RIGID OPTICAL CRASPING FORCEPS



**E8216 USA ELITE RIGID OPTICAL CUP CUTTING BIOPSY
FORCEPS**



E165 USA ELITE VISUAL OBTURATOR, 25Fr.



E163 USA ELITE VISUAL OBTURATOR, 23 Fr.



**G93 AUTOCLAVABLE LIGHT
CARRIER BUNDLE SNAP-ON 7 ft**



M3 GOLD TIP VIEW OF 30° AUTOCLAVABLE TELESCOPE



M3 GOLD TIP VIEW OF 70° AUTOCLAVABLE TELESCOPE



M3 GOLD FULL VIEW OF 30° OR 70° AUTOCLAVABLE TELESCOPE



**M3 GOLD FULL VIEW OF 30° OR 70° AUTOCLAVABLE TELESCOPE
CLOSE UP**

CYSTOSCOPY CONSUMABLES & ACCESSORIES START-UP

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015178539	INCLUDED W/NSN	USA Elite Sheath with Obturator, 17 Fr.	E117	1	EA	\$600.00	\$600.00	ACMI	N/A	N	2
6515015178547	INCLUDED W/NSN	USA Elite Sheath with Obturator, 21 Fr.	E121	1	EA	\$600.00	\$600.00	ACMI	N/A	N	2
6515015178548	INCLUDED W/NSN	USA Elite Sheath with Obturator, 23 Fr.	E123	1	EA	\$600.00	\$600.00	ACMI	N/A	N	2
6515015178550	INCLUDED W/NSN	USA Elite Sheath with Obturator, 25 Fr	E125	1	EA	\$600.00	\$600.00	ACMI	N/A	N	2
6515015178596	INCLUDED W/NSN	USA Elite Albarran Catheter Dflg. Bridge	E151	1	EA	\$812.00	\$812.00	ACMI	N/A	N	2
6515015178587	INCLUDED W/NSN	USA Elite Albarran Catherer Dfg. Bridge	E152	1	EA	\$812.00	\$812.00	ACMI	N/A	N	2
6515015178592	INCLUDED W/NSN	USA Elite Albarran Dflg Bridge, Single horn	E155	1	EA	\$812.00	\$812.00	ACMI	N/A	N	2
6515015178569	INCLUDED W/NSN	Autoclavable Lateral Telescope, 70 degree	M3-70A	1	EA	\$2,853.00	\$2,853.00	ACMI	N/A	N	2
6515015178557	INCLUDED W/NSN	Autoclavable Foroblique Telescope, 30 degree	M3-30A	1	EA	\$2,853.00	\$2,853.00	ACMI	N/A	N	2
6515015178603	INCLUDED W/NSN	USA Elite Short Bridge, Examining	E154	1	EA	\$245.00	\$245.00	ACMI	N/A	N	2
6515015178578	INCLUDED W/NSN	USA Elite Short Bridge, Double Horn	E153	1	EA	\$454.00	\$454.00	ACMI	N/A	N	2
6515015179440	INCLUDED W/NSN	USA Elite Short Bridge, Double Horn	E159	1	EA	\$429.00	\$429.00	ACMI	N/A	N	2
6515015179370	INCLUDED W/NSN	USA Elite Stationary Deflector for E153	E164	1	EA	\$402.00	\$402.00	ACMI	N/A	N	2
6515015179962	INCLUDED W/NSN	USA Elite Visual Obturator, 21 Fr.	E161	1	EA	\$535.00	\$535.00	ACMI	N/A	N	2
6515015179969	INCLUDED W/NSN	USA Elite Visual Obturator, 23 Fr.	E163	1	EA	\$535.00	\$535.00	ACMI	N/A	N	2
6515015179974	INCLUDED W/NSN	USA Elite Visual Obturator, 25 Fr.	E165	1	EA	\$535.00	\$535.00	ACMI	N/A	N	2
6515015179968	INCLUDED W/NSN	USA Elite Rigid Optical Grasping Forceps	E8215	1	EA	\$1,255.00	\$1,255.00	ACMI	N/A	N	2
6515015179971	INCLUDED W/NSN	USA Elite Rigid Optical Cup Cutting Biopsy Forceps	E8216	1	EA	\$1,255.00	\$1,255.00	ACMI	N/A	N	2
6240015002596	INCLUDED W/NSN	Dual Lamp Light Source, 150W, 115V, 60Hz	ALU-2B	1	EA	\$972.00	\$972.00	ACMI	N/A	N	2
6240015176086	INCLUDED W/NSN	Replacement Lamps for ALU-2B	FCB-96	1	EA	\$28.00	\$28.00	ACMI	N/A	N	2
6515014618194	INCLUDED W/NSN	Autoclavable Light Carrier Bundle Snap-on 7ft.	G93	1	EA	\$425.00	\$425.00	ACMI	N/A	N	2
6515015179934	INCLUDED W/NSN	Circon Seal Self Sealing, Blue, 12/Pkg	CS-B612	1	EA	\$52.00	\$52.00	ACMI	N/A	N	2
6515015186501	INCLUDED W/NSN	Circon Seal Self Sealing, Green, 12/pkg	CS-G7	1	EA	\$52.00	\$52.00	ACMI	N/A	N	2
6515010965289	INCLUDED W/NSN	Set of Accessories, incl. 1 ea. 75U, 94C, CS 612 & G925	96E	1	EA	\$164.00	\$164.00	ACMI	N/A	N	2
6515015180398	INCLUDED W/NSN	Stopcock	75U	1	EA	\$98.00	\$98.00	ACMI	N/A	N	2
6515015180400	INCLUDED W/NSN	Silicone Lubricant	G925	1	EA	\$25.00	\$25.00	ACMI	N/A	N	2
7610015180405	INCLUDED W/NSN	Manual for USA Elite Sheaths & Bridge	99-1034	1	EA	\$100.00	\$100.00	ACMI	N/A	N	2
6515015273869	INCLUDED W/NSN	Luer Lock Connecting Nipple , Female	94C	1	EA	\$59.00	\$59.00	ACMI	N/A	N	2

CYSTOSCOPY CONSUMABLES RESUPPLY

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6240015176086	INCLUDED W/NSN	Replacement Lamps for ALU-2B	FCB-96	1	EA	\$28.00	\$28.00	ACMI	N\A	N	2
6515015179934	INCLUDED W/NSN	Circon Seal Self Sealing, Blue, 12/Pkg	CS-B612	1	EA	\$52.00	\$52.00	ACMI	N\A	N	2
6515015186501	INCLUDED W/NSN	Circon Seal Self Sealing, Green, 12/pkg	CS-G7	1	EA	\$52.00	\$52.00	ACMI	N\A	N	2
6515015180400	INCLUDED W/NSN	Silicone Lubricant	G925	1	EA	\$25.00	\$25.00	ACMI	N\A	N	2

**LARYNGOSCOPE SET FIBER OPTIC BATTERY OPERATED TOC
WITH CASE**

**WELCH ALLYN
MODEL # MIL-5062**

Manufacturer's PHONE (315) 685-4560 FAX (315) 683-3361

Website: <http://www.welchallyn.com>

AAC "L" ITEM NSN 6515-01-526-4240

UA: 3267, 5267, N301, N308, 4268, F301, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$1250.00

Features:

Reduced handle and blade weight for improved balance and maneuverability facilitates even the most difficult intubations.

- Repairable, allowing replacement of deteriorating light pathways for a fraction of the cost of a replacement blade.
- Improved design with reduced proximal blade height assists in intubating patients with limited oral access.
- Single-piece stainless steel blades ensure blade integrity (no soldered joints).



**PELICAN CASE, PART # 1490
NSN 6530-01-526-9659**



**LARYNGOSCOPE SET
COMPREHENSIVE, PART #MIL-5062
NSN 6515-01-526-4240**

CHARACTERISTICS

Case Dimensions	Height	19 1/2"
	Width	14"
	Depth	4 3/4"
Weight	9.545 lbs	
Cube	.154	
Power Requirements	Battery Operated C Cell "AA" cell required	



SPARE LAMPS # 06000-U NSN 6515-01-519-4257
LAMP # 608125-501 NSN 6240-01-526-9631
MILLER SIZE 0 # 68060 NSN 6515-01-527-2281
MILLER SIZE 1 # 68061 NSN 6515-01-442-3002



STUBBY HANDLE # 60815 NSN 6515-01-527-2289
"AA" HANDLE # 60814 NSN 6515-01-445-1081
"C" SIZE HANDLE # 60813 NSN 6515-01-445-1082



ENGLISH MACINTOSH SIZE 1 # 69211 NSN 6515-01-467-3729
ENGLISH MACINTOSH SIZE 2 # 69212 NSN 6515-01-467-4411
ENGLISH MACINTOSH SIZE 3 # 69213 NSN 6515-01-467-3430
ENGLISH MACINTOSH SIZE 4 # 69214 NSN 6515-01-467-3431



MILLER BLADE SIZE 2 # 68062 NSN 6515-01-527-2283
MILLER BLADE SIZE 3 # 68063 NSN 6515-01-519-4239
MILLER BLADE SIZE 4 # 68062 NSN 6515-01-527-2286

LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES START-UP

NSN	Nomenclature	QT Y	UI	PART #	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015269659	PELICAN CASE	1	EA	1490	\$30.37	\$30.37	WELCH ALLYN	N/A	N	2
6515015194257	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.98	WELCH ALLYN	N/A	N	2
6240015269631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N/A	N	2
6515015272281	MILLER BLADE SIZE 0	1	EA	68060	\$109.51	\$109.51	WELCH ALLYN	N/A	N	2
6515014423002	MILLER BLADE SIZE 1	1	EA	68061	\$109.51	\$109.51	WELCH ALLYN	N/A	N	2
6515015272289	STUBBY HANDLE	1	EA	60815	\$101.58	\$101.58	WELCH ALLYN	N/A	N	2
6515 015194259	“AA” HANDLE	1	EA	60814	\$132.97	\$132.97	WELCH ALLYN	N/A	N	2
6515014451082	“C” SIZE HANDLE	1	EA	60813	\$79.39	\$79.39	WELCH ALLYN	N/A	N	2
6515014673429	ENGLISH MACINTOSH SIZE 1	1	EA	69211	\$109.51	\$109.51	WELCH ALLYN	N/A	N	2
6515014674411	ENGLISH MACINTOSH SIZE 2	1	EA	69212	\$109.51	\$109.51	WELCH ALLYN	N/A	N	2
6515014673430	ENGLISH MACINTOSH SIZE 3	1	EA	69213	\$92.22	\$92.22	WELCH ALLYN	N/A	N	2
6515014673431	ENGLISH MACINTOSH SIZE 4	1	EA	69214	\$109.51	\$109.51	WELCH ALLYN	N/A	N	2
6515015272283	MILLER BLADE SIZE 2	1	EA	68062	\$109.51	\$109.51	WELCH ALLYN	N/A	N	2
6515015194239	MILLER BLADE SIZE 3	1	EA	68063	\$182.59	\$182.59	WELCH ALLYN	N/A	N	2
6515015272286	MILLER BLADE SIZE 4	1	EA	68064	\$109.51	\$109.51	WELCH ALLYN	N/A	N	2
6240015269660	Pen Lite	1	EA	76600	\$48.00	\$48.00	WELCH ALLYN	N/A	N	2

LARYNGOSCOPE SET FIBER OPTIC BATTERY CONSUMABLES/ACCESSORIES RESUPPLY

NSN	Nomenclature	QT Y	UI	PART #	Total Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015194257	LIGHT BULB LARYNGOSCOPE	4	EA	06000-U	\$30.37	\$121.98	WELCH ALLYN	N/A	N	2
6240015269631	CARTRIDGES, LAMP	1	EA	608125-501	\$50.00	\$50.00	WELCH ALLYN	N/A	N	2

LIGHT SOURCE ENDOSCOPY TOC

PENTAX MEDICAL COMPANY

MODEL # LH-150P

Manufacturer's PHONE: (201) 391-0932 FAX (201) 391-4189

Website: <http://www.pentaxmedical.com>

AAC "W" ITEM NSN 6515-01-181-8711

AAC "J" ITEM NSN 6515-01-417-7875

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$950.00

Special Features: This item has a halogen light source with a screw on face plate to allow use of multiple manufacturer's style of flexible scopes . This unit will consist of a water bottle assembly and shall be able to provide irrigation. This bottle shall contain a minimum of 500cc of water and be easy to fill and to clean with a built-in air pump for use with a fiber optic and endoscope procedures that require insufflations. This system shall use a 150 watt halogen lamp lasting approximately 50 hours. The unit will also contain an air pump with a minimum of 0.35 KG/cm2 pump pressure.



CHARACTERISTICS

Dimensions Case	Height	6.5"
	Width	5.3"
	Depth	10.6"
Weight.		13.5 lbs
Cube Ft		.475
Operating Temperature		10° - 40° C
Operating Humidity		30 – 85 %
Storage Temperature		-20° - -60° C
Storage Humidity		0 – 85%
Power Requirements		120 VAC/200VA, 50/60 HZ

LIGHT SOURCE ENDOSCOPY CONSUMABLES/ACCESSORIES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6240012987995	Included W\NSN	Bulb	OLH	1	EA	\$46	\$46	PENTAX	N/A	N	2
6515015296272	Included W\NSN	Pentax Adapter	OLH3	1	EA	\$80.00	\$80.00	PENTAX	N/A	N	2
6515015296355	Included W\NSN	Water Bottle	OSH4	1	EA	\$192.00	\$192.00	PENTAX	N/A	N	2
7610015296276	Included W\NSN	Manual	60101	1	EA	\$10.00	\$10.00	PENTAX	N/A	N	2
6515015296274		Adapter for Olympus OES Endoscope	AL-OF5	1	EA	\$114.00	\$114.00	PENTAX	N/A	N	2

LIGHT SOURCE ENDOSCOPY CONSUMABLES/ACCESSORIES (RESUPPLY)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6240012987995	Included W\NSN	Bulb Halogen	OLH	1	EA	\$46	\$46	PENTAX	N/A	N	2
6515015296272	Included W\NSN	Pentax Adapter	OLH3	1	EA	\$80.00	\$80.00	PENTAX	N/A	N	2
6515015296355	Included W\NSN	Water Bottle	OSH4	1	EA	\$192.00	\$192.00	PENTAX	N/A	N	2
6515015296274		Adapter for Olympus OES Endoscope	AL-OF5	1	EA	\$114.00	\$114.00	PENTAX	N/A	N	2

MONITOR VITAL SIGNS TOC

WELCH ALLYN

MODEL#: PROPAQ 206EL MONITOR W/SPO₂ AND CAPNOGRAPHY

(Side stream, mainstream or dual)

Manufacturer's PHONE: (503) 530-7500 FAX: (503) 530-4910

Website: <http://www.welchallyn.com>

AAC "W" NSN 6515-01-465-3289

AAC "J" NSN 6515-01-432-2711

UA's: 2267, 3267, 267B, 905A, 912A, N301, N308, N309, N432, F301, F308, F309, F383

USAMMA POC: Equipment Acquisition Division, 301 619-4060, DSN 343-4060

UNIT PRICE: SPO₂, Capnography (Sidestream, mainstream or dual \$10,548)

System Description: Rugged, lightweight, portable vital signs monitor for field use

TEST PERFORMED

**Heart/Pulse rate
3-5 Lead ECG
Non Invasive BP
2 Channel Invasive BP
Temperature
Pulse Oximetry
Respiration**

ADVANTAGES


**Motion tolerant
monitoring.
Small, lightweight
Ease of use
Modular
Ruggedized
Automatic sensor
detection**

PROPAQ 206 EL VITAL SIGNS MONITOR FRONTAL VIEW




Operator Familiarization: CD-ROM is available.

PROPAQ 206 EL VITAL SIGNS MONITOR LEFT SIDE VIEW




PROPAQ 206 EL VITAL SIGNS MONITOR RIGHT SIDE VIEW





**ECG CABLE, 5 LEAD,
(008-0313-00)**



NIBP CUFF, ADULT (008-0628-00)



**CABLE, PULSE OXIMETRY, 8 FEET,
(008-0742-00)**



**HOSE, NIBP ADULT/PEDIATRIC,
(008-0238-00)**




AC POWER ADAPTER, (503-0054-00)




**DURASENSOR REUSABLE FINGER, SPO²,
(900-0021-00)**



NIBP CUFF KIT ADULT, (008-0324-00)



NIBP CUFF KIT PEDIATRIC, (008-0324-00)




**KIT NIBP CUFF THIGH,
(008-0324-00)**



TEMPERATURE PROBE, (008-0230-00)



SIDE STREAM CANNULA CO₂ W/WATER TRAP
ADULT (008-0769-00)
CHILD (008-0770-00)



CO₂ Sensor Airway Adapter with 10' cable
008-0502-00

CO₂ Airway Adapters Single Pt use for Mainstream only
008-0367-00



**MILITARY REUSABLE CONTAINER
(008-0586-00)
WITH ACCESSORIES SHOWN**

PROPAQ 206EL PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	9.6"
	Width	8.2"
	Depth	7.6"
Weight		13.5 lbs
Operating Temperature		0° to 40°C degrees
Storage Temperature		-20° to 60°C degrees
Humidity non-condensing		15% to 95%
Power Requirements		110/208VAC\pm 10%, 50/60 HZ .06 KW 12-23 VDC

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
See Resupply 10 Rolls	Incl W/ NSN	Paper 3 Rolls	3	EA	See Resupply 10 Roll			Welch Allyn	Indef	N	2
6515015189543	Incl W/ NSN	1 pkg of 5 Electrodes Gelled	1	PG	6200-10	\$5.00	\$5.00	Welch Allyn	indef	N	2
6515015195855	Incl W/ NSN	Electrodes Electrocardiograph	1	30/BG	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2
6515015189559	Incl W/ NSN	Military Container	1	EA	008-0586-00	\$576.40	\$576.40	Welch Allyn	Indef	N	2
6515015190163	Incl W/ NSN	Pulse oximetry probe reusable durasensor DS100A	1	EA	900-0021-00	\$337.00	\$337.00	Welch Allyn	Indef	N	2
6515015189839	Incl W/ NSN	Temp Probe General Purpose Reusable Adult	1	EA	008-0230-00	\$63.32	\$63.32	Welch Allyn	Indef	N	2
6515014989984	Incl W/ NSN	Temp Extension Cable, 10 ft for Reusable Temp probe	1	EA	008-0235-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2
6515015189556	Incl W/ NSN	NIBP Cuff, adult standard reusable w/ "twist lock" connector	1	EA	008-0628-00	\$35.00	\$35.00	Welch Allyn	Indef	N	2
6515015190962	(must designate 5 lead) Incl W/ NSN	ECG Cable, 5 lead, 10 foot, W/ 5 attached lead wires, snap	1	EA	008-0313-00	\$91.00	\$91.00	Welch Allyn	Indef	N	2
6515015191102	Incl W/ NSN	AC Adapter for recharging battery, 120 VAC 60 HZ	1	EA	503-0054-02	\$122.00	\$122.00	Welch Allyn	Indef	N	2
6515015039828	Incl W/ NSN	Power Cord, Hospital Grade 100-120 VAC	1	EA	008-0333-00	\$23.00	\$23.00	Welch Allyn	Indef	N	2
6515015010661	Incl W/ NSN	Cable, Pulse Oximetry, 8 foot extension	1	EA	008-0742-00	\$65.00	\$65.00	Welch Allyn	Indef	N	2
6515014365080	Incl W/ NSN	Hose, NIBP Adult/Pediatric	1	EA	008-0238-00	\$20.00	\$20.00	Welch Allyn	Indef	N	2
6515015191100	Incl W/ NSN	Cuff Kit, NIBP adult reusable w/ "twist lock" connector	1	EA	Keep old #008-0324-00	\$94.97	\$94.97	Welch Allyn	Indef	N	2
7610015189140	Incl W/ NSN	Technical Reference Guide (Service Manual), CD FORMAT	1	EA	810-1084-01	\$45.00	\$45.00	Welch Allyn	Indef	N	2
NEED NSN	Incl W/ NSN	Service Manual), Hard Copy Format	1	EA	810-1316-02	\$45.00	\$45.00	Welch Allyn	Indef	N	2
7610015189122	Incl W/ NSN	Operator's Manual Hard Copy Format	2	EA	810-0867-00	\$45.00	\$90.00	Welch Allyn	Indef	N	2
6515015224095	INCL. W/NSN	Adult Nasal Cannula w/SamplingLine and Water trap	1	EA	008-0769-00	\$317.00	\$317.00	Welch Allyn	Indef	N	2
6515 014755511	INCL. W/NSN	CO2 Sensor Airway Adapter with 10' cable	1	EA	008-0502-00	\$1899.45	\$1899.45	Welch Allyn	Indef	N	2
6515014468319	INCL. W/NSN	Adapter CO ² Airway Patient Vital Signs Monitor Adult/Pediatric	1	EA	008-0132-00	\$144.05	\$144.05	Welch Allyn	Indef	N	2
6515 014989984	INCL. W/NSN	Cable Temperature 10' Ext, For Reusable Temp Probe	1	EA	008-0235-00	\$49.98	\$49.98	Welch Allyn	Indef	N	2
6515015193763	INCL W/NSN	Probe, Temperature, Reusable, Adult General Purpose	1	EA	008-230-00	\$49.75	\$49.75	Welch Allyn	Indef	N	2

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY (RESUPPLY)

NSN	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6515014128673	Paper, Printer, Roll	1	10PG	008-0040-98x	\$27.00	\$27.00	Welch Allyn	Indef	N	2	
6515 015195855	Electrodes Electrocardiograph	1	30pg	6200-11	\$22.39	\$22.39	Welch Allyn	indef	N	2	FINGER 6 PATIENTS
6515014470079	Adapter airway CO ² single PT USE low dead space	1	10/pg	008-0263-00	\$163.25	\$163.25	Welch Allyn	indef	N	2	

The Propaq 206 monitors are shipped complete with adult, pediatric, and neonatal monitoring capability. The monitor includes 3 or 5 lead ECG (user specified), NIBP, 2 IBP, 2 TEMP, Respiration and Nellcor SpO₂. Includes a 3 year warranty.

VITAL SIGNS MONITOR WITH SPO² AND CAPNOGRAPHY OPTIONAL ADDITIONAL ACCESSORIES

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515012714894	Optional	Sensor ,SPO ₂ ,Finger Disposable	D-25	01	EA	\$394.18	\$394.18	NELLCOR	indef	N	2
6515014466260	Optional	CO ² Sensor Airway Adapter w/10 ft cable for Mainstream	008-0130-01	01	EA	\$2,016.63	\$2,016.63	Welch Allyn	N	N	2
6515 015224081	Optional	CO ₂ Airway Adapters, Multi-use Adult/Peds	008-0261-00	01	EA	\$691.95	\$691.95	Welch Allyn	N	N	2
6515 014470079	Optional	CO ₂ Airway Adapters, Single PT Use Low DeadSpace	008-0263-00	01	EA	\$343.72	\$343.72	Welch Allyn	N	N	2
6515 015224101	Optional	Pediatric Nasal Cannula w/Sampling Line and Water trap	008-0770-00	01	EA	\$328.00	\$328.00	Welch Allyn	N	N	2
6515 015224084	Optional	CO ₂ Airway Adapters Single Pt use for Mainstream only	008-0367-00	01	EA	\$288.00	\$288.00	Welch Allyn	N	N	2
6515013960711	Optional	Paper EKG 100 ft yd L X 60MM w/100 rolls	008-0040-99	01	EA	\$271.35	271.35	Welch Allyn	N	N	2
6515014346106	Optional	Cable Monitoring Set Arterial Pressure Reusable 15 ft	42661-04	01	EA	\$118.58	\$118.58	Abbott	N	N	2
6515014341421	Optional	Monitoring Set Arterial Pressure Sterile /20s	42589-05	02	PG	\$871.81	\$1,743.62	Abbott	N	N	2

NERVE STIMULATOR, PERIPHERAL TOC

LIFE-TECH, INC

MODEL # MS-IV

Manufacturer's PHONE (540) 662-8000 FAX (540) 662-3803

Website: <http://www.life-tech.com>

AAC "W" ITEM NSN 6515-01-208-0576

AAC "J" ITEM NSN 6515-01-397-5212

UA's: 3267, 5267, F301, F309, N301, N309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$161.55

Special Features: The use of a peripheral nerve stimulator provides useful information:

- During operations in which non-depolarizing neuromuscular blocking agents are used to indicate the degree of blockade and thus the indication for additional doses of muscle relaxant.
- At the end of the operation to ensure that muscle power is fully restored by appropriate doses of neostigmine and atropine before consciousness is restored. It is very distressing to a conscious patient when neuromuscular blockade is incompletely reversed.
- Clinical indication of reversal of neuromuscular blockade is given by the patient's power in muscles supplied by the cranial nerves e.g. to open his eyes, put out his tongue, hold his head up, as well as to breathe adequately and to cough. Peripheral nerve stimulation may be helpful in assisting localization during nerve blocks with local analgesia.



Life-Tech MS IV



Life-Tech MS IV Characteristics

Dimensions	Height	4.2"
	Width	.8"
	Depth	2.4"
Voltage	9 VDC (battery)	
Weight	5 ounces	
Output Power	0 to 50 milliamperes maximum	
Twitch	2 pulses per second	
Tetanus	50 to 100 pulses per second	
Stimulus Pulse	.22 milliseconds, square wave monophasic	

Life-Tech MS-IV ACCESSORIES START-UP

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
See Resupply		Battery, 9 volt, non-rechargeable,	0226	1	EA				Indef	N	2
6515 015224238	Included W/NSN	Bipolar probe	DP-MTP	1	EA	\$24.45	\$24.45	Life-Tech, Inc.	Indef	N	2
6515 015221838	Included W/NSN	2' Extension Leads with Alligator Clips	EL-2MTP	1	EA	\$20.45	\$20.45	Life-Tech, Inc.	Indef	N	2

Life-Tech MS-IV ACCESSORIES (RESUPPLY)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6135009735632	Included W/NSN	Battery, 9 volt, non-rechargeable,	0226	1	EA	\$12.48	\$12.48	NEXTELL SALES	Indef	N	2
6515 015224238	Included W/NSN	Bipolar probe	DP-MTP	1	EA	\$24.45	\$24.45	Life-Tech, Inc.	Indef	N	2
6515 015221838	Included W/NSN	2' Extension Leads with Alligator Clips	EL-2MTP	1	EA	\$20.45	\$20.45	Life-Tech, Inc.	Indef	N	2

**THIS PLATE SYSTEM IS DESIGNED TO BE USED WITH THE STERIS
OPERATING TABLE SYSTEM ON PAGE 127**

OPERATING TABLE TRANSPORT RESTRAINT SYSTEM TOC

Company has changed to Ingersoll Rand

MODEL #: 98-2585

Manufacturer's PHONE: (410) 238-0542


AAC "L" ITEM NSN 6530-01-463-3009

UA's: N301

USAMMA POC: Equipment Acquisition Division, (301) 619-4060, DSN 343-4060

UNIT PRICE: \$6,250.00

Special Features: This system is designed to hold two operating room tables for transport in a mobile TOE Army Hospital ISO shelter; includes 1 each "A" frame, "B" frame and plate.




CHARACTERISTICS

Dimensions Case	Height	34"
	Width	48"
	Depth	75"
Weight.		200 lbs
Cube Ft		70.83

GUIDANCE FOR THE INSTALLATION INTO TWO-SIDED EXPANDABLE TACTICAL SHELTER


Step 1 Base Placement

- a. Place OR table transport restraint bottom plate in the center of the shelter floor.
- b. Orient plate so that the three holes in the plate are on your right when viewed from the cargo door.
- c. Secure plate to floor by installing 5 tiedown rings through the holes in the plate to the shelter floor.



Step 2 Prepare OR Table for storage in restraint system.

Raise table to its maximum height and level table top using appropriate controls.




Step 3 Preparation of table cont.

- a. Remove head/foot X-ray assembly from table and secure pad directly to table head/foot section.
- b. Unlock & fold down head section of table.
- c. Unlock & fold under the head/foot section of table.




Step 4 Placement of table in restraint system

- a. Remove arm supports and set aside for later storage.
- b. Using appropriate control, crank seat assembly completely down as shown.
- c. Roll table into position on the floor plate and lock into position using the table lock. Engage table lock by depressing foot pedal (Figure 4).



Step 5 Secure Table in Restraint Position


Secure table in restraint system using the red ratchet tie down strap as shown



Step 6 Secure accessories


(Note that the straps are crisscrossed)

- a. Power table top to lowest position by depressing appropriate foot pedal on table.
- b. After removing pads, place arm supports and head/foot x-ray assembly on table base plate; place manuals and literature secure using two tie down straps as shown.



Step 6 Secure Accessories (cont.)


- a. Remove X-ray top assemblies from back and seat and leg sections and place padding directly on tabletop.
- b. Place Image Amplification (IA) board on the table upside down with the support leg facing up.
- c. Place X-ray top assemblies (back, seat and leg) on top of the IA board.



Step 6 Secure Accessories (cont.)


- d. Secure X-ray assemblies to table with the supplied bungee cords.
- e. Slide two locks onto the rear side rail attached to the IA board over the foot section.
- f. Place and lock down the universal anesthesia screen.

Note: Table should now look as shown..




Step 6 Secure Accessories (cont.)

- g. Slide one pair of Clark sockets onto both table siderails.
- h. Install Lithotomy Legholders into each pair of Clark sockets.
- i. Hand tighten all Clark sockets enough so legholders do not move




Step 7 Posture Selector Handle Storage

Fold posture selector handle into the down position.



Step 8 Trendelenburg and Kidney elevator Handle Storage

Fold both Trendelenburg and Kidney elevator handles into the down position.



Step 9 Table Cover Installation

(REQUIRES TWO PERSONNEL)


Lift table transport cover into position, the cover must be lowered at the foot end of the table and raised at the head end

(NOTE YOU CANNOT LOWER THE COVER STRAIGHT DOWN OVER THE TABLE AND INTO POSITION)



Step 10 IA Padding Storage.

After the cover is in place, the IA pad can be stored with the Velcro to the inside as shown.



(NOTE WHEN THE ISO SHELTER AND OVERFLOW MILVAN ARE UNPACKED, REMOVE THE OPERATING TABLE TRANSPORT RESTRAINT SYSTEM FROM THE ISO SHELTER AND STORE THE SYSTEM IN THE OVERFLOW MILVAN FOR SAFE KEEPING AND FOR PROTECTION FROM DAMAGE AND FOR FUTURE USE)

CAUTION, CAUTION, CAUTION, CAUTION,

DO NOT ROLL THE OPERATING TABLE ONTO THE EXPANDABLE FLOOR OF THE ISO SHELTER, IF THIS OCCURS DAMAGE WILL BE DONE TO THE EXPANDABLE FLOOR, THIS IS CAUSED BY THE WEIGHT OF THE TABLE. THE SURGICAL TABLE MODEL 2080M WEIGHS TWICE AS MUCH AS THE OLD OPERATING TABLE NSN: 6350-00-142-9239.

OTOSCOPE & OPHTHALMOSCOPE SET TOC

WELCH ALLYN

MODEL 92821

Manufacturer's PHONE (503) 530-7500 FAX (503) 526-4919

Website: <http://www.welchallyn.com>

AAC "L" ITEM NSN 6515-01-333-3165

UA's: 2256, 2265, 2264, 3261, 3264, 3267, 4268, 4901, 4902, 5256, 5261, 5265, 5267, 7051, 7054, N301, N308, N309, N310, N311, N313, N315, N316, N320, N713, F301, F308, F309, F310

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$230.58**

Features:

- 2.5V Pocket Scope Ophthalmoscope uses halogen bulbs for true tissue color and consistent, long lasting illumination. It has 6 aperture selections for general and specialist use, and 48 lenses for better resolution.
- 2.5V Otoscope also has built-in throat illuminator – two-in-one instrument features halogen illumination and fiberoptics for a cool light with no reflections or obstructions, plus a rectangular viewing lens for instrumentation under magnification.
- 2.5V Pocket Scope handle has a smooth rheostat to control light intensity and features a handy pocket clip.



ACCESSORIES PACKAGE (START-UP)

NSN	NOTES	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6515015205740	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	INCLUDED WITH NSN	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515015205763	INCLUDED WITH NSN	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	INCLUDED WITH NSN	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	INCLUDED WITH NSN	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2
6545015190982	INCLUDED WITH NSN	CASE SOFT ZIPPER F/POCKETSCOPE	1	EA	05928-U	\$12.00	\$12.00	WELCH/ALLYN	indef	N	2

CONSUMABLES/ OPTIONAL (RESUPPLY)

NSN	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6135009857845	BATTERY NONRECHARGEABLE ALKALINE 1.5V 1 YEAR SHELF LIFE 24S, AA CELL	1	PG	20-0571-1988 NEDA 15A	\$4.78	\$4.78	AMERICAN NATIONAL STANDARDS INST	indef	N	2
6515015250236	DISPOSABLE SPECULA 4.25MM, 800 COUNT/BAG	1	PG	31237-010A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015250240	DISPOSABLE SPECULA 2.75MM, 800 COUNT/BAG	1	BX	31237-020A	\$29.04	\$29.04	CARDINAL HEALTH	indef	N	2
6515015205740	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2

ACCESSORIES PACKAGE RESUPPLY

NSN	Nomenclature	QTY	UI	PART #	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015205740	BULB REPLACEMENT EXAM INSTRUMENT F/HALOGEN OTOSCOPE 2.5V	1	EA	03400-U	\$12.60	\$12.60	WELCH/ALLYN	indef	N	2
6515015205754	BULB REPLACEMENT EXAM INSTRUMENT F/OPHTHALMOSCOPE	1	EA	03900-U	\$13.21	\$13.21	WELCH/ALLYN	indef	N	2
6515015205763	HEAD OPHTHALMOSCOPE POCKET 2.5V HALOGEN BULB RED FREE FILTER MICRO/SM	1	EA	13000	\$88.27	\$88.27	WELCH/ALLYN	indef	N	2
6515015205725	HEAD OTOSCOPE DIAGNOSTIC HALOGEN HPX 2.5V 9.8 DIOPTER 4IN FOCAL LENGTH	1	EA	21111	\$59.79	\$59.79	WELCH/ALLYN	indef	N	2
6515015205778	2.5 VOLT HANDLE (ACCEPTS TWO AA BATTERIES)	1	EA	72830	\$81.13	\$81.13	WELCH/ALLYN	indef	N	2

PULSE OXIMETER **TOC**

NONIN MEDICAL INC.

MODEL # 9500

Distributors' PHONE (540) 662-8000 Fax (800) 590-0081

Website: <http://www.nonin.com>.

AAC "L" ITEM NSN 6515-01-466-0971

UA's: 2256, 2261, 2264, N308, N309, N310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$350.00

Features: Now you can check your heart rate and blood-oxygen saturation levels simply and quickly with the Nonin Onyx 9500 Pulse Oximeter. Just place the Nonin 9500 pulse oximeter over your fingertip. It will automatically turn itself on and light up a display, providing you with instant, real-time info on your heart-rate and blood-oxygen saturation levels. When you take the Nonin 9500 Pulse Oximeter off of your finger, it automatically turns itself off after 7 seconds, saving the battery life.

The pulse oximeter has a bright LED digital display that is easy to read. The Nonin 9500 comes with a handy lanyard wrist cord, 2 AAA Batteries and Instruction / Service Manual. The manufacturer backs up the quality and durability of this convenient device with a full TWO-YEAR WARRANTY Oxygen Sat. Range: 0-100 %

- Pulse Rate Range: 18-300 BPM
- Up to 1600 Spot-Checks On One Set Of Batteries
- Proven Accuracy and Durability



CHARACTERISTICS

Dimensions	Height	1.3"
	Width	1.3"
	length	2.2"
Weight, lbs.	2 ozs	2
Operating Temperature	+32° to +122°F	
Operating Humidity	10% to 90 %	
Storage Temperature	-22° to +122°F	
Storage Humidity	10% to 90%	
Power Requirements	1.5 volt AAA Battery	18 hours continuous operation
Operating Altitude	Up to 30,000 feet	

PULSE OXIMETER ACCESSORIES/CONSUMABLES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refri g Y/N	CONU S Ship Time, weeks
6515014981114	1.5 Volt AAA Size Batteries	0040-0062	1	6S/PG	\$4.07	\$4.07	Infusion Dynamics	N	N	2

PUMP, INFUSION ALARIS TOC

ALARIS
MEDSYSTEM 111
MODEL 2865B

Manufacturer's PHONE: (858) 458-6003, Fax (858) 458-7507

Website: <http://www.alarismed.com>

AAC "W" ITEM NSN 6515-01-381-4456

AAC "J" ITEM NSN 6515-01-486-4310

UA's: 2256, 2257, 3257, 3267, 3912, 4905, 4912, 5267, 5257, 5261, 9300, 9301, 9302, 9303, 9304, 9306, N301, N308, N309, N310, F301, F308, F309, F310

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$5,704.51

System Description: Three independent infusion channels for the delivery of a wide range of fluids from various containers including syringes. Also provides a secondary delivery of intermittent medications, fluid challenges, or loading doses from each channel. Each line can deliver a separate drug, helping to eliminate incompatibility and drug sequencing concerns.

Advantages: 1. Rapid on-line titration w/o interrupting flow. 2. Configurable air-in-line thresholds, rate and volume ranges, occlusion alarm settings and KVO rates. 3. Titration of drugs in either dose or volumetric rate. 4. Streamlined PMCS and calibration processes.





**Administrative Set Piggy Back
(72213N)
NSN 6515014164032 (100 PG)**



**Administrative Set Main Stream Line
(28034)
NSN 6515014348712 (50 PG)**

IV PUMP PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	7.9"
	Width	6.0"
	Depth	2.1"
Weight		3.6 lbs
Internal Battery		Main Rechargeable Nicad Battery, Memory Backup Non-rechargeable Lithium
Battery Capacity		Minimum 6 hours with all three channels at 125 ml/hr
Operating Temperature		50°F to 104°F
Humidity		90 %
Power Requirements		110/120VAC/60HZ 6 WATTS AC POWER

IV PUMP CONSUMABLES START-UP

NSN	Nomenclature	PN	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014348712	Administration set		01	50PG	28034	\$399.11	\$399.11	ALARIS MEDICAL..	Indef	N	2
6515014164032	Administration set		01	100PG	72213N	\$184.12	\$184.12	ALARIS MEDICAL	Indef	N	2

IV PUMP CONSUMABLES RESUPPLY

NSN	Nomenclature	PN	QTY	UI	PART #	UNIT PRICE	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014348712	Administration set		01	50PG	28034	\$399.11	\$399.11	ALARIS MEDICAL..	Indef	N	2
6515014164032	Administration set		01	100PG	72213N	\$184.12	\$184.12	ALARIS MEDICAL	Indef	N	2

PUMP INFUSION, AUTO SYRINGE **TOC**

BAXTER

MODEL # AS50

Manufacturer's PHONE 1-800 THE-PUMP, FAX (847) 970-5994

Website: <http://www.baxter.com>

AAC "L" ITEM NSN 6515-01-496-4213

UA's N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$ 2,250.00



System Description: This system has 15 preprogrammed functions for infusion of drugs. Expandable up to 70 drug protocols; capable of 18 modes of delivery; 15 continuous and 3 times modes. This system comes with a 110 volt charger, operators manual, pole clamp, and replacement battery pack (C/N 2002-0520). Developed to meet the infusion needs in NICU, Anesthesia and Critical Care, the AUTO SYRINGE AS50 Infusion Pump delivers precise, controlled infusions.

Special Features:

- Configurable Drug Library
- Syringe Plunger Detection
- Backlight Display
- Adjustable Occlusion Specialty
- Selectable Modes of Delivery
- Accepts Syringe Sizes from 1-60cc
- Battery Voltage Indicator
- Adjustable "Near End" Alert
- RS232 Communication Port

CHARACTERISTICS

Dimensions	Height.	10"
	Width	2.6"
	Depth	3.4"
Weight	4.9 lbs	
Cube Ft	.3700	
Power Requirements	110 VAC, 50/60 Hz, 11.1 Watts	

PUMP INFUSION ACCESSORIES/CONSUMABLES STARTUP & RESUPPLY

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014964218	INCLUDED W/NSN	BATTERY ASSEMBLY 6.-7.4 VOLT, 1.5 AMPS	AAS5001552	1	EA	\$75.00	\$75.00	BAXTER	N/A	N	2
6530015279959	INCLUDED W/NSN	POLE CLAMP	AAS5001500RP	1	EA	\$75.00	\$75.00	BAXTER	N/A	N	2
6130015279987	INCLUDED W/NSN	110 VOLT CHARGER	CAS4001900	1	EA	\$68.04	\$68.04	BAXTER	N/A	N	2
7610 015312931	INCLUDED W/NSN	OPERATORS MANUAL	0719A3430	1	EA	\$15.00	\$15.00	BAXTER	N/A	N	2
6515015281954		IV Extension Set Micro Volume	2N3345	1	EA	\$37.50	\$37.50	BAXTER	N/A	N	2
6515013520446		SYRINGE HYPO GP 60ML CAP LUER LOCK TIP	309653	1	PG/120S	\$54.87	\$54.87	BECTON DICK.	N/A	N	2
6515011656742		SYRINGE HYPODERMIC GP 30ML CAPACITY LUER LOCK	15272-00X	1	Bx//25S	\$14.47	\$14.47	BAXTER	N/A	N	2

REFRIGERATOR MECHANICAL BLOOD BANK 5.4 CU FT TOC

KENDRO LABORATORY PRODUCTS LP

MODEL # CT-1

Manufacturer's PHONE (800) 221-4201, FAX (828) 645-3368

Website: <http://www.kendro.com>

AAC "W" ITEM NSN 4110-01-179-0124

AAC "J" ITEM NSN 4110-01-249-4476

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$2,378.00

System Description: JEWETT Counter High Refrigerators provide safe blood storage where space is limited. The CT1 features compact designs and premium performance for the surgical suite, recovery room, satellite lab or emergency room. Model CT1 has a removable top for under counter applications.

Special Features:

- Forced air circulation system and frost-free operation for maximum temperature uniformity and rapid recovery
- Digital temperature controller preset for 4°C operation
- Monitor with alarm and digital display
- Stainless steel interiors and exteriors



CHARACTERISTICS

Dimensions	
Height	36"
Width	24"
Depth	25"
Weight	230 lbs
Cubic ft	30
Power Requirements	120/220Volt 50/60 Hz 3.2/1.6 Amps 516Watts

REFRIGERATOR ACCESSORIES PACKAGE START-UP

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
	INCLUDED W/NSN	Remote Monitor	DTPM 1000	1	EA	\$734.00	\$734.00	KENDRO	N/A	N	2
7125015281626		Drawer Dividers, Clear Plastic	7418	2	EA	\$70.00	\$140.00	KENDRO	N/A	N	2
6645015281635	INCLUDED W/NSN	Chart Recording Instrument	7391	1	EA	\$830.00	\$830.00	KENDRO	N/A	N	2
7530012800613		Chart Paper Recording 100 sheets	RDR 019	1	EA	\$12.08	\$12.08	KENDRO	N/A	N	2
7510012363953	INCLUDED W/NSN	Pen, Ink Continuous	RDR-024	1	6/EA	\$53.00	\$53.00	KENDRO	N/A	N	2

**RESPIROMETER CORROSION RESISTING METAL ALLOY TOC
WITH CASE**

**FERRARIS
MODEL #: MK-8**

Manufacturer's PHONE: (800) 205-7187

Website: <http://www.groupferraris.com/ferrarisrespiratory>

AAC "L" ITEM NSN 6515-01-509-3535

UA's: N301

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$ 1,339.00**

System Description: Respirometers measure the volume of air/oxygen mixtures supplied in patient ventilation circuits.. Equally convenient for measuring both tidal and minute volumes. Large 35mm dial diameter. Dial layout comprising separate large diameter scale and off-set mini scale. This unit has white lettering and scales on a blue background with white pointers The unit is an entirely mechanical device with dial and pointer mechanisms to indicate the volume passed in ventilators.



CHARACTERISTICS

Dimensions	Dial Diameter	35mm
	Overall Dimensions	70mmx60mmx45mm
Weight		130g
Cubic Feet		.0506
Connections		22mm male BS/ISO taper, inlet and outlet

RESPIROMETER MK-8 ACCESSORIES

NSN	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014774292	GAUGE COVER RESPIROMETER	00-145	1	EA	\$44.00	\$44.00	SOUTHERN SAFETY SALES INC.	N/A	N	2

SHELTER: TACTICAL EXPANDABLE TWO SIDED TOC

US ARMY NATICK RESEARCH AND DEVELOPMENT CENTER

MODEL # 5-4-3118

Manufacturer's PHONE: (508) 233-4001

AAC "A" ITEM NSN 5411-01-136-9838

UA's: N301, M303, M703

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$65,411.00



CHARACTERISTICS

Dimensions	Height	8'
	Width, extended	24'
	Length extended	20'
Weight		6956 lbs
Cube		1280
Power Requirements	120/208Volt 50/60 Hz 100 Amps	

SHELTER: TACTICAL ACCESSORIES PACKAGE

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6150012474793	Cable 100 feet, 60 AMP	13226E7022-1	1	EA	\$1649.39	\$1649.39	NATICK	N/A	N	2

**COMPANY IS OUT OF BUSINESS
ITEMS ARE STILL IN STOCK**

SINK UNIT SURGICAL SCRUB TOC

**RAN-PAIGE CO INC
MODEL 0200-96-C-8509**

**AAC "W" ITEM NSN 6530-01-431-9005
AAC "J" ITEM NSN 6530-01-429-6715**

UA's: 3267, 3724, 4901, 4905, 5267, F301, F304, F306, F308, F309, N301, N303, N305, N306, N 308, N309, N310, N311, N312, N313, N315, N316, N436, N503, N504 N506, N513, N523, N703, N706, N713, N725

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$946.74**

Special Features: Portable and light weight. Consists of a hollow tubular frame support, a plastic polypropylene basin, a pump and a heater, a foot pedal and associated tubing and electrical components. Electrical and water are activated by the foot pedal. The water heater is an encapsulated inline type 1200 to 1300 Watts. The maximum water temperature is 125 degrees. This includes a reusable container.



CHARACTERISTICS

Dimensions	Height	N/A
	Width	N/A
	Depth	N/A
Weight	59 lbs	
Cubic ft	6.16	
Power Requirements	115/230 VAC, 50/60 Hz 1300 Watts	

SUCTION APPARATUS SURGICAL TOC

IMPACT INSTRUMENTATION INC

MODEL # 326M

Manufacturer's PHONE: (973)-882-1212 FAX (973)-882-4993

Website: <http://www.impactii.com>

AAC "W" ITEM NSN 6515-01-460-9174

AAC "J" ITEM NSN 6515-01-435-0050

UA's: 2249, 2256, 2257, 2259, 2261, 2264, 2267, 3249, 3256, 3257, 3261, 3264, 3267, 4905, 5249, 5256, 5257, 5261, 5264, 5267, 9300, 9306, F301, F305, F308, F309, F310, N301, N305, N308, N309, N310, N313, N316, N320, N513, N713

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$1,600.00

System Description: The Model 326 is a multifunction, continuous and programmable intermittent suction unit. Built around Impact's ultra-lite[®] vacuum pump. The Model 326 may be used for oropharyngeal, tracheal, wound drainage, and abdominal or thoracic decompression procedures - short or long-term use. Its supplied accessories permit continuous use from AC or DC power, and internal rechargeable batteries provide power for several hours of transport or emergency backup.



IMPACT 326M



IMPACT 326M PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	11.5"
	Width	9.5"
	Depth	4.87"
Weight	Analyzer	30 lbs, Unit 12 lbs
Operating Temperature		-4° F to 120° F
Humidity	Tested to level required for Air Worthiness	94±4%RH, 85° F±3.6° F (29.5°C±2°C) f/ 4 hrs.
Power Requirements		115/230 V AC, 50-400 HZ, 100 Watts, 2.5 Amps Steady State

IMPACT 326M CONSUMABLES & ACCESSORIES (START-UP)

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015096877	Included W/NSN	Assembly Auto Power Cable	708-0326-01	1	EA	\$20.21	\$20.21	IMPACT INSTRUMENTS	N/A	N	2
6515015117035	Included W/NSN	Suction Hose 6 ft. long, clear, sterile	820-0018-00	1	EA	\$3.36	\$3.36	IMPACT INSTRUMENTS	N/A	N	2
6515015117034	Included W/NSN	Hose, Clear, PVC 18" Long	540-0055-00	2	EA	\$2.16	\$4.22	IMPACT INSTRUMENTS	N/A	N	2
6515015117023	Included W/NSN	Hose, Clear, PVC, 1' Long	540-0068-00	1	EA	\$0.63	\$0.63	IMPACT INSTRUMENTS	N/A	N	2
6515015117017	Included W/NSN	Hose, Clear, PVC, 2' Long	540-0051-00	2	EA	\$2.51	\$4.02	IMPACT INSTRUMENTS	N/A	N	2
6515015043306	Included W/NSN	AC/DC Power Supply	703-0326-06	1	EA	\$232.88	\$232.88	IMPACT INSTRUMENTS	N/A	N	2
6515015098638	Included W/NSN	Universal Canister Bracket	334-0030-00	2	EA	\$27.77	\$55.54	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	Included W/NSN	Collection Canisters, 1000cc Reusable	703-0326-07	2	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515015096967	Included W/NSN	Padded Case., 2 ea. Straps, Velcro	402-0017-00	1	EA	\$112.50	\$112.50	IMPACT INSTRUMENTS	N/A	N	2
6515015097331	Included W/NSN	Straps, Velcro	334-0020-00	2	EA	\$27.27	\$54.54	IMPACT INSTRUMENTS	N/A	N	2
6515015096977	Included W/NSN	Carry-All Case with Label	703-0326-16	1	EA	\$94.50	\$94.50	IMPACT INSTRUMENTS	N/A	N	2
6515011942187	Included W/NSN	Hydrophobic/Bacteriostatic Filters	465-0005-00	2	EA	\$9.45	\$18.90	IMPACT INSTRUMENTS	N/A	N	2
	Included W/NSN	Manual, Operation/Service	906-0326-03	2	EA	\$18.00	\$36.00	IMPACT INSTRUMENTS	N/A	N	2

IMPACT 326M CONSUMABLES & ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515014975761	TUBING, SUCTION	358388266148	12	EA	\$4.47	\$53.64	OWENS AND MINOR	N/A	N	2
6515011942187	FILTER DISPOSIBLE	465-0005-00	2	EA	\$8.28	\$49.68	IMPACT INSTRUMENTS	N/A	N	2
6515015039498	14FR. SUCTION CATHETER	820-0004-00	6	EA	\$1.58	\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515015039501	18FR. SUCTION CATHETER	820-0005-00	6	EA	\$1.58	\$9.48	IMPACT INSTRUMENTS	N/A	N	2
6515014493193	1200CC DISPOSABLE JAR	410-0004-10	1	10 PK	\$36.90	\$36.90	IMPACT INSTRUMENTS	N/A	N	2
6515014862077	CANISTER ASSY SUCT SURG PLASTIC 2000CC	494410	2	48/EA	\$205.00	\$410.00	MEDLINE INDUSTRIES INC	N/A	N	2
6515014441638	SUCTION AND IRRIGATION ASSEMBLY SURGICAL	207-559	6	PG	\$335.00	\$2,010.00	STRYKER CORP	N/A	N	2
6515012774772	TUBING SURGICAL 100FT	SIA8-230201	1	RO	\$11.00	\$11.00	Emery Medical Supply	N/A	N	2
6515015117034	Hose, Clear, PVC 18" Long	540-0055-00	2	EA	\$2.16	\$4.22	IMPACT INSTRUMENTS	N/A	N	2
6515015117023	Hose, Clear, PVC, 1' Long	540-0068-00	1	EA	\$0.63	\$0.63	IMPACT INSTRUMENTS	N/A	N	2
6515015117017	Hose, Clear, PVC, 2' Long	540-0051-00	2	EA	\$2.51	\$4.02	IMPACT INSTRUMENTS	N/A	N	2
6515015043306	AC/DC Power Supply	703-0326-06	1	EA	\$232.88	\$232.88	IMPACT INSTRUMENTS	N/A	N	2
6515015098638	Universal Canister Bracket	334-0030-00	2	EA	\$27.77	\$55.54	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	Collection Canisters, 1000cc Reusable	703-0326-07	2	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515011942187	Hydrophobic/Bacteriostatic Filters	465-0005-00	2	EA	\$9.45	\$18.90	IMPACT INSTRUMENTS	N/A	N	2
6515015039456	REUSABLE COLLECTION JAR ASSEMBLY	703-0326-07	1	EA	\$53.82	\$53.82	IMPACT INSTRUMENTS	N/A	N	2
6515015117035	TUBE SUCTION SURGICAL 6 ft	820-0018-00	12	EA	\$2.70	\$2.70	IMPACT INSTRUMENTS	N/A	N	2

SURGICAL HEADLIGHT TOC

WELCH ALLYN.

MODEL # 49020 M

Manufacturer's PHONE (315) 685-4560 FAX (315) 683-3361

Website: <http://www.welchallyn.com>

AAC "L" ITEM NSN 6230-01-520-3474

UA: 3267, 4901, 4905, 5267, N320, N301, N308, N309, N314, 4714, F301, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$754.53

Features:

- Weighing less than four ounces, it's one of the most comfortable lightweight headlights available
- With a color temperature of 5500 Kelvin, this light supplies bright, white, shadow-free light allowing the end user to see tissue characteristics without distortion
- It's operating life expectancy is 10,000
- Enjoy the flexibility of operating the headlight using the direct power source or the rechargeable "belt-clip" portable power source.

Clinical Benefits:

- Long operating life (10,000 hours of continuous burn)
- More energy efficient than incandescent and halogen lamps
- Cool beam is safe to touch
- Instant light (less than 100ns)
- Virtually maintenance-free operation
- No UV rays

Suggested Applications: The Solid State Procedure Headlight provides ideal illumination for procedures such as minor surgery, general examinations, foreign body removal, OB/GYN applications and procedures, dermatology examinations or any procedure that requires a small, homogenous and well-defined spot.

WELCH ALLYN. SURGICAL HEADLIGHT



Technical Specifications:

Spot Size Range: 1.5 to 6 inches at the working distance **Light Source:** Five-watt Solid State lamp, color temperature 5500 Kelvin, TBD Lumens, life 10,000 hours continuous burn

Working Distance: 16 inches


Battery Run-Time: One hour continuous run-time on a fully charged battery

Battery Life: Approximately 2.5 years (depending on usage)

Warranty: One-year limited warranty

CONSUMABLES ACCESSORIES STARTUP

NSN	NOTES	Nomenclature	PN	QT Y	UI	Unit Price	Total Price	MFG	CONU S Ship Time, weeks
6530015225307	Included W/NSN	Carrying Case	49099	1	EA	\$193.98	\$193.98	WELCH ALLYN	2
6230015221304	Included W/NSN	Charger Only for Portable Power Source	74180	1	EA	\$37.11	\$37.11	WELCH ALLYN	2
6230015221307	Included W/NSN	Portable Power Source Only	75200	1	EA	\$154.78.	\$154.78	WELCH ALLYN	2
6230015221337	Included W/NSN	Direct Power Supply	75270	1	EA	\$50.75	\$50.75	WELCH ALLYN	2



**CARRYING CASE, PART# 49099
6530015225307**



**Portable Power Source Only PART # 75200
6230015221307**



**DIRECT PLUG IN TRANSFORMER
UNIT, PART # 75270
6230015221337**



**CHARGER, PART # 74180
6230015221304**

**COMPANY NO LONGER PRODUCES THIS ITEM
ITEMS ARE STILL IN STOCK AT DEPOT**

SURGICAL LIGHT CEILING 2 HEADED TOC

**GETINGE USA INC
MODEL # LI2420CFH W/PROVISIONING
Manufacturer's PHONE (800) 475-9040
Website: <http://www.getinge.com>**

**AAC "W" ITEM NSN 6530-01-179-4951
AAC "J" ITEM NSN 6530-01-244-0708**

UA's: N301

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$ 5,468.29**



TABLE, MOBILE SURGICAL W/PROVISIONING TOC

GETINGE USA INC.

MODEL # 1118.01M0US

Manufacturer's PHONE (905) 629-8777, FAX (905) 629-8875

Website: <http://www.getingecastle.com/healthcare.cfm?subpage=1>

AAC "W" ITEM NSN 6530-01-459-1326

AAC "J" ITEM NSN 6530-01-533-4863

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$29,774.68

System Description: The Maguet Table is a manually operated pedestal-style operating table. Table has an articulating top section and adjustable foot and head sections for superior patient positioning with maximum convenience for the surgical team setting the standard for operating efficiency, ergonomics and safety. Designed to accommodate patients weighing up to 300 pounds. Includes foot pedal operated conductive casters and locks designed to compensate for uneven floor surfaces.



**TABLE, MOBILE SURGICAL W
PROVISIONING
6530-01-533-4863**

Position Features

1. Posturing for Imaging Intensification
2. Thoracic Positioning
3. Abdominal Positioning
4. Upper and Lower Positioning
5. Head and Neck Positioning

CHARACTERISTICS

Overall Dimensions	Height	48"
	Width	42"
	Length	72"
	Length with Head Attachment	87.1"
	Width of Table Top	20.1"
	Height Max in Use	37.4"
	Inclination in Trendelenburg Position	25°
	Inclination in reverse Trendelenburg position	25°
Operating temp		59° to 95 ° F
Storage temp		59° to 95° F
Relative humidity		0% to 85%
Storage Relative humidity		0% to 85%
Weight		380 lbs
Weight with case		660 lbs
Max Weight of Patient		300 lbs
Package Cube		84 cu ft
Power Supply		Hydraulic

Thyroid

- . Immobilize the operating table
- . Tilt the table top into the Trendelenburg position
- . Move the back plate upwards
- . Align the leg plate
- . Adapt the head rest



Maxillo-facial surgery

- Immobilize the operating table
- Attach the required head positioning accessories to the table top using the connecting bracket 1130.54B0
- Tilt the table top into the Trendelenburg position
- Move the back plate upwards
- Align the leg plate
- Adapt the head positioning accessories



Lateral positioning (e.g. kidney, thorax)

- Immobilize the operating table
- Tilt the table top into the reverse Trendelenburg position
- Move the back plate downwards
- Adapt the head rest



Neurosurgical procedures (patient in prone or supine position)

- Immobilize the operating table
- Now attach the neurosurgical head positioning accessories
- Lay the patient in the prone or supine position
- Set the head positioning accessories



Gall bladder

- Immobilize the operating table
- Tilt the table top into the reverse Trendelenburg position
- Move the back plate downwards
- Adapt the head rest





LEG PLATES SURGICAL TABLE (PAIR)
PART # 1118.50FO
6530-01-533-4870



HEADREST SURGICAL TABLE
PART # 1130.64FO
6530-01-533-4879



**ARM BOARD, SURGICAL TABLE
MULTI-TASKAPRT # 1001.44D0
6530-01-533-4922**



**ARM BOARD PAD, SURGICAL TABLE STANDARD
(PAIR)
PART # 1006.60TR
6530-01-533-4923**



**ARM BOARD PAD, SURGICAL TABLE
STANDARD (PAIR)
PART # 1006. P6S2
6530-01-533-4866**



**BODY STRP, SURGICAL TABLE
PART # 1006. 55HW
6530-01-533-4884**



HAND ATTACHMENT SURGICAL TABLE
PART # 1006.064HT
6530-01-533-4894



XRAY CASSETTE HOLDER SURGICAL TABLE
PART # 1002. 8900
6530-01-533-8765



DOUGHNUT HEAD RING
PART # 4006. 0200
6530-01-533-4895



STIRRUPS
PART # 1006. 04BS
6530-01-533-4886



RADIAL SETTING CLAMP (PAIR)
PART # 1003. 61B0
6530-01-533-4893



GEL PAD TORSO
PART # 4006.0800
6530-01-533-4890



GEL PAD PERINEAL
PART # 4006.0900
6530-01-533-4925



SHIPPING CONTAINER, HARDENED
PART # BETACASE
6530-01-533-4926

**TABLE, MOBLE SURGICAL W/PROVISIONAL ACCESSORIES
 (START-UP)**

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015334863	Included W/NSN	Table, Mobile Surgical W/ Provisioning	1118.01M0US	1	EA	\$29,774.68	\$29,774.68	Getinge/Maquet	Indef	N	3
6530015334872	Included W/NSN	Table, Mobile Surgical	1118.01M0	1	EA	\$16,477.00	\$16,477.00	Getinge/Maquet	Indef	N	3
6530015334870	Included W/NSN	Leg Plates, Surgical Table (pair)	1118.50F0	1	PR	\$2,354.20	\$2,354.20	Getinge/Maquet	Indef	N	3
6530015334879	Included W/NSN	Headrest, Surgical Table	1130.64F0	1	EA	\$1,385.70	\$1,385.70	Getinge/Maquet	Indef	N	3
6530015334922	Included W/NSN	Arm Board, Surgical Table, mutli-task	1001.44D0	1	PR	\$841.85	\$841.85	Getinge/Maquet	Indef	N	3
6530015334923	Included W/NSN	Arm Board, Surgical Table, Standard (pair)	1006.60TR	2	PR	\$278.19	\$556.38	Getinge/Maquet	Indef	N	3
6530015334866	Included W/NSN	Arm BoardPad,Surgical Table, Standard (pair)	1006.P6S2	2	PR	\$103.87	\$207.74	Getinge/Maquet	Indef	N	3
6530015334884	Included W/NSN	Body Strap, Surgical Table	1006.55HW	1	EA	\$280.98	\$280.98	Getinge/Maquet	Indef	N	3
6530015334894	Included W/NSN	Hand Attachment, Surgical Table	1006.64HT	1	EA	\$687.46	\$687.46	Getinge/Maquet	Indef	N	3
6530015338765	Included W/NSN	Xray Cassette Holder, 15x19.5",Surgical Table	1002.8900	1	EA	\$440.74	\$440.74	Getinge/Maquet	Indef	N	3
6530015334895	Included W/NSN	Doughnut Head Ring	4006.0200	1	PR	\$109.46	\$109.46	Getinge/Maquet	Indef	N	3
6530015334886	Included W/NSN	Stirrups	1006.04BS	1	PR	\$1,130.90	\$1,130.90	Getinge/Maquet	Indef	N	3
6530015334893	Included W/NSN	Radial Setting Clamp (pair)	1003.61B0	4	EA	\$356.28	\$1425.12	Getinge/Maquet	Indef	N	3
6530015334890	Included W/NSN	Gel Pad, torso	4006.0800	1	PR	\$444.13	\$444.13	Getinge/Maquet	Indef	N	3
6530015334925	Included W/NSN	Gel Pad, perineal	4006.0900	1	EA	\$249.61	\$249.61	Getinge/Maquet	Indef	N	3
6530015334926	Included W/NSN	Hardened Shipping Container	BETACASE	1	EA	\$2,243.00	\$2,243.00	Getinge/Maquet	Indef	N	3

TABLE, MOBLE SURGICAL W/PROVISIONAL ACCESSORIES (RESUPPLY)

NSN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530015334866	Arm Board Pad,Surgical Table, Standard (pair)	1006.P6S2	2	PR	\$103.87	\$207.74	Getinge/Maquet	Indef	N	3
6530015334884	Body Strap, Surgical Table	1006.55HW	1	EA	\$280.98	\$280.98	Getinge/Maquet	Indef	N	3
6530015334894	Hand Attachment, Surgical Table	1006.64HT	1	EA	\$687.46	\$687.46	Getinge/Maquet	Indef	N	3
6530015334879	Headrest, Surgical Table	1130.64F0	1	EA	\$1,385.70	\$1,385.70	Getinge/Maquet	Indef	N	3
6530015334895	Doughnut Head Ring	4006.0200	1	PR	\$109.46	\$109.46	Getinge/Maquet	Indef	N	3
6530015334886	Stirrups	1006.04BS	1	PR	\$1,130.90	\$1,130.90	Getinge/Maquet	Indef	N	3
6530015334895	Gel Pad, torso	4006.0800	1	PR	\$444.13	\$444.13	Getinge/Maquet	Indef	N	3
6530015334886	Gel Pad, perineal	4006.0900	1	EA	\$249.61	\$249.61	Getinge/Maquet	Indef	N	3

**Betaclassic Table with
Sliding Top and Accessories.
Uncrating and Crating Instructions**

1. This document provides instruction for the proper packing or unpacking of the BetaClassic Table unit.
2. The BetaClassic shipping container (P/N# BETACASE) is designed to be a reusable device for Armed Forces to safely package and ship the Betaclassic surgical table and accessories.
3. **Product List**
 - (1) BETACASE
 - (2) Table Ramp, included in container
 - (2) Hold Down Straps, included in container
4. The following instructions will be followed to correctly unpack the Betaclassic Table System.
 - 4.1 Open Betaclassic Shipping case and carefully remove the accessories from top of table. Figure 1 and 2.



Figure 1: Accessories Container



Figure 2: Table and Ramps

4.2 Remove plastic, shipping straps and stops from table crate. Remove both table ramps. Figure 3.



Figure 3: Straps and Ramps Removed

4.3 Remove the two ramps and place at the foot of shipping container. See Figure 4.



Figure 4: Ramp Placement

4.4 Unlock table brake and roll table from shipping container. See Figure 5.



Figure 5: Removing Table

4.5 Return the ramps, tie downs and accessory compartment back inside of main shipping container.

4.6. For the shipment of a BETACCLASSIC Betaclassic Table and accessories, reverse steps 4.1-4.4.



When packing the table for shipment, refer to Figure 2, for proper placement of ramps. The ramps shall be packed according to Figure 2, to avoid possible damage in shipment.

**THIS TABLE IS STILL IN STOCK AT THE DEPOT BUT IS BEING REPLACED
BY THE GETINGE OR TABLE ON PAGE 113**

TABLE, OPERATING TOC

STERIS CORP.

MODEL # 2080 MIA

Manufacturer's PHONE (440) 354-2600 FAX (440) 639-4450)

Website: <http://www.steris.com>

AAC "W" ITEM NSN 6530-01-459-1326

AAC "J" ITEM NSN 6530-01-353-9883

UA's: N301

USAMMA POC: Equipment Acquisition Division: 301 619-4060, DSN 343-4060

UNIT PRICE: \$21,680.73

System Description: The 2080MIA, (Manual Control, Image Amplification), is a manually operated pedestal-style operating table. Table has an articulating top section and adjustable foot and head sections for superior patient positioning with maximum convenience for the surgical team. Designed to accommodate patients weighing up to 300 pounds. Includes foot pedal operated conductive casters and locks designed to compensate for uneven floor surfaces.

Figure 1. Steris 2080MIA Operating Table




Position Features

1. Posturing for Imaging Intensification
2. Total Hip Replacement
3. Mastectomy
4. Thoracic
5. Kidney
6. Lumbar Laminectomy
7. Proctology
8. Gall Bladder
9. Abdominal
10. Gynecology
11. Cystoscopy

CHARACTERISTICS


Dimensions	Length	52"
	Width	32.5"
	Height	44.5"
Weight	800 lbs	
Cube, cubic feet	44	

POSTURING



The 2080 MIA Series Tables provide ample access for any fixed or mobile Image Intensification Equipment. Procedures such as Heart Catheterization, Pacemaker Implantation, or Foreign Body localization are possible on any 2080 table. This reduces the need for a special Image Intensification table.


TOTAL HIP REPLACEMENT



For the lateral approach to a total hip procedure, the patient is positioned with the affected side uppermost. The lower leg should be flexed at a degree sufficient to maintain stability of the torso; it can be secured by means of a conductive body restraint strap placed over a suitable pad or pillow.

The torso may be further stabilized by the lateral support of a vacuum evacuated mattress. The lower, dependent arm can be placed on an arm board, the upper, placed in a Kraus Arm Support. A winged ether screen (not shown) will provide drape support.


MASTECTOMY



The clean lines of AMSCO'S 2080 Surgical Table Series are advantageous for surgical procedures including Mastectomy. Anesthesiologist positions the patient in a modified Fowler posture with slight lateral tilt and head section lowered. Arm on the affected side is extended laterally for excellent exposure to medial and lateral flaps. Patient is stabilized by the lateral Body Supports and Body Restraint Strap.


During the procedure, the anesthesiologist may tilt the 2080 away from the surgeon, allowing gravity to carry the medial flap away when excising the lateral flap.

THORACIC




For Right Lung surgery the operating area is extended, and pressure is reduced on the dependent thoracic cage by positioning the space between the iliac crest and the greater trochanter directly over the flex between the seat and back sections. Patient's upper arm is placed in a Kraus Arm Support. The Adhesive Tape Holder across the pelvic girdle together with the Lateral Body Supports ensure patient stability. A suggested added stabilizing element is placing a second Adhesive Tape Holder across the upper thoracic cage, maintaining the pectoral girdle 90° to the table. Note the maximum extension of the operative site.

KIDNEY




Kidney procedures are accommodated easily on 2080 Series Tables. Patient is positioned with iliocostal space directly over the flex between the seat and back sections. Lateral Body Supports are positioned below the lumbar vertebrae and table is flexed. The Adhesive Tape Holder further stabilizes the patient. This posture minimizes physiological damage while providing excellent exposure of the kidney area. Kraus Arm Support relieves pressure and provides complete support of the upper arm.

LUMBAR LAMINECTOMY





Patient is supported for Lumbar Laminectomy by Morgan Pelvic Rests. This preferred posture supports and levels the lumbar area and provides freedom beneath the abdominal and chest area for improved respiration. Patient's weight is evenly distributed between the knees and iliac crest.

PROCTOLOGY





The Jackknife position aids in the gravitational extension of the sigmoid flexure and minimum respiratory embarrassment. Mattress pad is reversed to cover the perineal opening in the seat section. Mattress pad is reversed to cover the perineal opening in the seat section. Foot Extension and head section are applied to the side rails of the foot section as indicated. Patient is comfortably supported with part of the weight distributed to the knees. Note the perineal end of the base is well forward of the operative side. Controls are easily accessible even when table is in deep Trendelenburg.

GALL BLADDER



For Gall Bladder procedures, the 2080 is flexed, put into slight Reverse Trendelenburg and the Body Elevator is retained at exactly the same height as the X-ray top. This position provides a constant contour and support at the twelfth thoracic vertebrae region. In addition to excellent extension of the operative area, this posture gives full and comfortable support for the patient. The head section is applied to the foot section for foot support. Both arms are removed from the operative site and supported on the arm boards.


ABDOMINAL



The General Abdominal posture illustrated on the left provides a maximum extension of the level abdominal cavity. 2080 is flexed, foot section lowered slightly to relax knees and slight Trendelenburg levels the operative site. Intraoperative X-rays can be taken simply by leveling the table. The Universal Anesthesia Screen separates sterile and non-sterile areas with easy angulation. Shoulder braces (not shown) are used to stabilize the patient should Trendelenburg be required.


At closure, anesthesiologists relaxes patient merely by reflexing the table. In these postures the 2080 Manual Surgical Table serves to illustrate that any of the 2080 Series may be used for any procedure.

GYNECOLOGY



Lithotomy Legholders are used for Hemorrhoidectomy, “D and C” any procedure during which legs must be in a comfortable position and a stabilized pelvis is not required. Foot section is fully retracted to enable the surgeon to sit or stand comfortably close to his patient. Foot extension may be applied for instruments or for a general working shelf.

CYSTOSCOPY



For Cystoscopy or Vaginal Prepping when using local anesthetic or when patients should have control of their legs, Bierhoff Leg Crutches may be utilized. The perineal cutout permits application of the Hess Transurethral Drain Tray. Fully retracted foot section allows ample space for urologist's or surgeon's knees.

STERIS 2080 MIA ACCESSORIES

SN	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6530-01-139-9417	Culdoscopic Knee Rest	BF06-600	1	EA	\$364.54	\$364.54	Steris Corp.	Indef	N	2
6530-01-139-9411	Krause Arm Support	BF10-000	1	EA	\$560.00	\$560.00	Steris Corp.	Indef	N	2
6530-01-406-4022	Tri-Clamps	BF31-200	1	PR	\$279.99	\$279.99	Steris Corp.	Indef	N	2
6530-01-406-7819	Support Arm with 2-inch pad	BF37-000	1	EA	\$559.98	\$559.98	Steris Corp.	Indef	N	2
6530-01-139-9426	Adhesive strap holders	BF08-500	1	PR	\$85.00	\$85.00	Steris Corp.	Indef	N	2
6515-01-406-3927	Multipurpose legholders	BF31-700	1	PR	\$2,000.00	\$2,000.00	Steris Corp.	Indef	N	2
6515-01-139-9424	Wristlets with straps and brackets	BF11-100	1	PR	\$180.00	\$180.00	Steris Corp.	Indef	N	2
6530-01-141-0772	Cassette tray with handle	BF13-700	1	EA	\$145.00	\$145.00	Steris Corp.	Indef	N	2
6530-01-419-2287	Image amplification board	BF16-400	1	EA	\$1,620.27	\$1,620.27	Steris Corp.	Indef	N	2
No NSN	Perineal Filler Kit	BF31-500	1	EA	\$255.00	\$255.00	Steris Corp.	Indef	N	2
6530-01-139-9418	Clark Sockets (pair)	BF08-300	1	PR	\$245.00	\$245.00	Steris Corp.	Indef	N	2
6530-01-139-9446	Locks for siderail	BF13-300	1	PR	\$97.72	\$97.72	Steris Corp.	Indef	N	2
6530-01-141-0770	Foot Extension with Siderail Locks	BF03-100	1	EA	\$768.60	\$768.60	Steris Corp.	Indef	N	2
6530-01-462-4962	Lithotomy Legholders	BF05-400	1	PR	\$866.00	\$866.00	Steris Corp.	Indef	N	2
6515-01-139-9416	Universal Anesthesia Screen	BF07-400	1	EA	\$425.00	\$425.00	Steris Corp.	Indef	N	2
6530-01-139-9419	Winged Anesthesia Screen	BF07-500	1	EA	\$308.54	\$308.54	Steris Corp.	Indef	N	2
6530-01-139-9438	Transurethral drainage tray	BF10-600	1	EA	\$559.98	\$559.98	Steris Corp.	Indef	N	2
6530-01-139-9425	Morgan Pelvic Rest	BF13-500	1	EA	\$1075.00	\$1075.00	Steris Corp.	Indef	N	2
6530-01-139-9371	Conductive Restraint Strap, 66" long	BF08-800	1	EA	\$109.80	\$109.80	Steris Corp.	Indef	N	2

TOURNIQUET SYSTEM PNEUMATIC AUTO W/CASE TOC

ZIMMER INC.

MODEL # A.T.S. 2000

Manufacturer's PHONE: (574) 372-4764, FAX (574) 372-4750

Website: <http://www.zimmer.com>

AAC "L" ITEM NSN 6515-01-287-0607

UA's: N301

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$7,548.20

Special Features:

1. The system has the ability to independently control and monitor two cuffs in a Bier Block or bilateral procedure.
2. Microprocessor control for improved reliability and to help prevent loss of occlusion during Bier Block cuff switching.
3. A built in battery charger.
4. Precision pressure transducers in conjunction with a microprocessor based control system.
5. Time and pressure defaults that can be customized to fit user preference.
6. Adjustable alarm rate, volume, and silencing.

A.T.S. 2000 AUTO TOURNIQUET SYSTEM



CHARACTERISTICS

Dimensions	Height	12.75"
	Width	10"
	Depth	10.5"
Weight	30 lbs	
Cube	.880	
Operating Temperature	50°F to 100°	
Operating Humidity	10% to 80%	
Storage Temperature	1°F to 149°	
Power Requirements	90 to 240 volts 50/60 HZ, 53 Watts	2, 12volt batteries are included sealed lead acid

TOURNIQUET SYSTEM CONSUMABLES RESUPPLY

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015275760	INCLUDED W/NSN	Kit Calibration	60-2000-110-00	1	EA	\$54.14	\$54.14	ZIMMER	N\A	N	2
6130015275764	INCLUDED W/NSN	Battery Rechargeable 12 volt, 2.3 amp hrs	60-7000-27	2	EA	\$148.68	\$296.36	ZIMMER	N\A	N	2
6515015274376	INCLUDED W/NSN	Hose , Dual Cuff, blue/white	60-4017-01	1	EA	\$65.18	\$65.18	ZIMMER	N\A	N	2
6515015274378	INCLUDED W/NSN	Hose , Dual Cuff, red/white	60-4018-01	1	EA	\$65.18	\$65.18	ZIMMER	N\A	N	2

TOURNIQUET SYSTEM CONSUMABLES/ACCESSORIES START-UP

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015275760	INCLUDED W/NSN	Kit Calibration	60-2000-110-00	1	EA	\$54.14	\$54.14	ZIMMER	N/A	N	2
6130015275764	INCLUDED W/NSN	Battery Rechargeable 12 volt, 2.3 amp hrs	60-7000-27	2	EA	\$148.68	\$296.36	ZIMMER	N/A	N	2
6515015232821	INCLUDED W/NSN	Basket for Tourniquet	60190800100	1	EA	\$155.19	\$155.19	ZIMMER	N/A	N	2
6515015232826	INCLUDED W/NSN	Stand Tourniquet	60402200100	1	EA	\$464.36	\$464.36	ZIMMER	N/A	N	2
6515015274370	INCLUDED W/NSN	Cuff Cylindrical disposable, 8"	60750000100	1	EA	\$132.33	\$132.33	ZIMMER	N/A	N	2
6515015274367	INCLUDED W/NSN	Cuff Cylindrical disposable, 12"	60750000200	1	EA	\$138.35	\$138.35	ZIMMER	N/A	N	2
6515015274368	INCLUDED W/NSN	Cuff Cylindrical disposable, 18"	60750000300	1	EA	\$156.39	\$156.39	ZIMMER	N/A	N	2
6515015274371	INCLUDED W/NSN	Cuff Cylindrical disposable, 24"	60750000400	1	EA	\$174.44	\$174.44	ZIMMER	N/A	N	2
6515015274372	INCLUDED W/NSN	Cuff Cylindrical disposable, 30"	60750000500	1	EA	\$186.47	\$186.47	ZIMMER	N/A	N	2
6515015274373	INCLUDED W/NSN	Cuff Cylindrical disposable, 34"	60750000600	1	EA	\$197.29	\$197.29	ZIMMER	N/A	N	2
6515015274374	INCLUDED W/NSN	Cuff Cylindrical disposable, 42"	60750000700	1	EA	\$216.54	\$216.54	ZIMMER	N/A	N	2
6515015274376	INCLUDED W/NSN	Hose , Dual Cuff, blue/white	60-4017-01	1	EA	\$65.18	\$65.18	ZIMMER	N/A	N	2
6515015274378	INCLUDED W/NSN	Hose , Dual Cuff, red/white	60-4018-01	1	EA	\$65.18	\$65.18	ZIMMER	N/A	N	2
	INCLUDED W/NSN	Operators Manual	999026341	2	EA	\$43.12	\$86.24	AMERICAN DEPOT	N/A	N	2
6515015274375	INCLUDED W/NSN	Cuffs, 18" Cylindrical, Reusable	60-7500-003	1	EA	\$156.39	\$156.39	ZIMMER	N/A	N	2
6515015272812	INCLUDED W/NSN	Cuffs, 24" Cylindrical, Reusable	60-7500-004	1	EA	\$174.44	\$174.44	ZIMMER	N/A	N	2
6515015272817	INCLUDED W/NSN	Cuffs, 30" Cylindrical, Reusable	60-7500-005	1	EA	\$186.47	\$186.47	ZIMMER	N/A	N	2
6515015272853	INCLUDED W/NSN	Cuffs, 34" Cylindrical, Reusable	60-7500-006	1	EA	\$197.29	\$197.29	ZIMMER	N/A	N	2
6515015272854	INCLUDED W/NSN	Cuffs, 42" Cylindrical, Reusable	60-7500-007	1	EA	\$216.54	\$216.54	ZIMMER	N/A	N	2
6515015272857	INCLUDED W/NSN	Cuffs, 18" Cylindrical, Dual Port/Bladder	60-7555-002	1	EA	\$282.71	\$282.71	ZIMMER	N/A	N	2
6515015272860	INCLUDED W/NSN	Cuffs, 18" Contour, Dual Port/Bladder	60-7450-011	1	EA	\$382.24	\$382.24	ZIMMER	N/A	N	2

ULTRASONIC UNIT BLOOD FLOW DETECTION DOPPLER **TOC**

COOPER SURGICAL, INCORPORATED

MODEL # D8

Manufacturer's PHONE (203) 601-5200 Fax (203) 601-1007

Website: www.coopersurgical.com

AAC "W" ITEM NSN 6515-01-192-9456

AAC "J" ITEM NSN 6515-01-293-5578

UA's: 3267, 5267, N301, N302, N308, N309, F301, F302, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$2,995.00


Features: Detect air emboli during surgery where significant gravitation gradient exists between the heart and the operating site. Assess vessel potency or monitor and evaluate blood flow at surgical site. Obtain systolic blood pressure measurements during surgery. Flexible design allows for one Doppler and multiple probe frequencies.



CHARACTERISTICS

Dimensions	Height	25.4 cm
	Width	25.4 cm
	Length	12.2 cm
Weight		12 lbs
Operating Temperature		+10C —+ 40C
Operating Humidity		30% - 70%
Storage Temperature		+10C – +40C
Storage Humidity		30% - 70%
Power Requirements		120/130VAC 50/60 HZ

**11.5 cm Pencil
Frequency: 8 MHz**



Pencil Style Probe

ULTRASONIC UNIT BLOOD FLOW DETECTION ACCESSORY

NSN	NOTES	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONU S Ship Time, weeks
6515014916202	Included W/NSN	Model P82 Pencil Style Probe	101-0013-010	1	EA	\$1,095.00	\$1,095.00	Cooper Surgical Inc.	Indef	N	3

WARMER/INFUSER, BLOOD/FLUID TOC

Belmont Instrument Corp

MODEL # FMS 2000

Manufacturer's PHONE (978) 663-0212, Fax (978) 663-0214

Website: <http://www.belmontinstrument.com>

AAC "W" ITEM NSN 6515-01-370-5019

AAC "J" ITEM NSN 6515-01-465-2059

UA's: 3267, 5267, 9300, 9304, 9303, N301, N308, N308, F301, F308, F309

USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403

UNIT PRICE: \$18,200.00


System Description: Infuses blood or fluid warmed to physiological temperature. Self-contained system includes the warmer, volumetric fluid pump, and safety devices. System incorporates instant heating, a wide range of infusion rates, bolus infusion capability and advanced air bubble, temperature and pressure sensors.



SIDE VIEW



3 Bag Spike Disposable Set Model 2516



Dimensions:	13.5 in. x 7.5 in. x 12 in/
Weight:	26 lbs.
Portability:	Quick-on IV Pole Mount or Handle at top of unit.
Power:	115 volt, 15A AC input
Battery:	Internal, rechargeable for transport. Operates all functions without heating.
Fluid Pump:	Roller type peristaltic pump.
Heater:	Maximum applied power, 1350 watts.
Sensors:	2 Air bubble sensors, pressure transducer (fluid). 2 temperature probes (infrared sensing), pump flow rate sensor.
Control Computer:	Built-in, controls all functions, with redundant hardwired overrides in case of computer failure.
Display:	5 in. x 2.5 in. Electroluminescent type, with waterproof touch pad.

FMS 2000 PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	13.5"
	Width	7.5"
	Depth	12"
Weight		26 lbs
Power Requirements	115 VAC, 15 amps 60 Hz, 1350 Watts	Internal rechargeable battery (will not power heat function).

FMS 2000 CONSUMABLES (START-UP)

NSN	NOTES	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015178115	Included W/NSN	3 Bag Spike Disposable Set Model 2516	903-00006	1	12\ PG	\$1500.00	\$1500.00	BELLMONT INST.CORP.	24	N	3

FMS 2000 CONSUMABLES (RESUPPLY)

NSN	NOMENCLATURE	P/N	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks
6515015178115	3 Bag Spike Disposable Set Model 2516	903-00006	1	12\ PG	\$1500.00	\$1500.00	BELLMONT INST.CORP.	24	N	3

WARMING UNIT, BAIR HUGGER TOC

**AUGUSTINE MEDICAL
BAIR HUGGER W/CASE, MODEL 505
Manufacturer's PHONE (952) 947-1200, FAX (952) 947-1400
Website: <http://www.arizant.com>**

AAC "L" ITEM NSN 6530-01-463-6823

UA's: 3267, 3912, 4905, 4912, 5267, N301, N308, N309, F301, F308, F309

**USAMMA POC: Materiel Acquisition Directorate, 301-619-7403, DSN 343-7403
UNIT PRICE: \$988.00**

System Description: Forced-air warming unit providing safe, quiet and effective warming to patients.

Special Features: Portable, lightweight, unique snap-fit hose for easy blanket attachment. Easily attaches to an IV pole or bedrail.





BAIR HUGGER PHYSICAL AND ENVIRONMENTAL SPECIFICATIONS

Dimensions	Height	13"
	Width	10"
	Depth	11"
Weight	13.6 lbs	
Operating Temperature	High 109.4° ± 5.4°F Med 100.4° ± 5.4°F LOW 89.6° ± 5.4°F	
Air Flow	28 cu ft/min	
Storage Temperature	-40 to+122°F	
Humidity non-condensing	15 to 90 %	
Power Requirements	120 VAC/60 Hz 9.5 amps, 1100 watts	220 VAC/50 Hz 4.5 amps 1000watts

BAIR HUGGER CONSUMABLES RESUPPLY

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
6532013875842	Included W/NSN	Blanket Torso	540	1	10/pg	\$122.98	\$122.98	Arizant Medical	N/A	N	2	Optional Item
6532015224921	Included W/NSN	Blanket Full body surgical	610	1	10/pg	\$103.50	\$103.50	Arizant Medical	N/A	N	2	
6532015265337	Included W/NSN	Blanket Surgical Access	570	1	10/pg	\$102.00	\$102.00	Arizant Medical	N/A	N	2	
6532013564851	OPTIONAL	Blanket lower body	525	1	15/pg	\$146.00	\$146.00	Arizant Medical	N/A	N	2	Optional Item
6532013884182	OPTIONAL	Blanket upper body	522	1	10pg	\$122.88	\$122.88	Arizant Medical	N/A	N	2	Optional Item
6515014636893	Included W/NSN	FILTER	90009	1	EA	\$39.00	\$39.00	Arizant Medical	N/A	N	2	

BAIR HUGGER ACCESSORIES PACKAGE

NSN	Notes	Nomenclature	PN	QTY	UI	Unit Price	Total Price	MFG	Shelf Life, months	Refrig Y/N	CONUS Ship Time, weeks	NOTES
Included w/ NSN	Included W/NSN	HOSE	90003	1	EA	\$63.06	\$63.06	Augustine Medical		N	2	
6515 015242953	Included W/NSN	HOSE CLIP	90017	1	EA	\$3.90	\$3.90	Augustine Medical		N	2	
6515 015242947	Included W/NSN	SHEET CLIP	90063	1	EA	\$5.46	\$5.46	Augustine Medical		N	2	
7610015222841	Included W/NSN	Operator Manual	OPM			N\C	N\C	Augustine Medical		N	2	
7610015222837	Included W/NSN	Service Manual	OSM			N\C	N\C	Augustine Medical		N	2	
6530015237536	Included W/NSN	Hardened Case	505252	1	EA	\$1500.00	\$1500.00	Augustine Medical		N	2	